


STYLE MCU HEAVY DUTY METAL CLAD WIPER RINGS


Utilizing a sturdy metal case, these wipers are molded from the same high performance urethane used in our Heavy Duty U-seals. Built for severe service, these wipers are capable of surviving hostile environments.



HERCULES PART NUMBERS

MCU - 0625 - D

Prefix Size



SEAL INFORMATION	
MATERIAL	92A URETHANE
TEMPERATURE RANGE	-65° TO +230° F
SPEED	3 FT/SEC

WIPER RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	D GROOVE WIDTH	E ROD DIAMETER	G HOUSING DIAMETER	List Price
MCU-0625-D	5/8	1-1/8	5/16	.313 ^{+0.015} / _{+0.000}	.625 ^{+0.000} / _{-0.003}	1.125 ±.001	\$8.78
MCU-0750-D	3/4	1-1/4	5/16	.313 ^{+0.015} / _{+0.000}	.750 ^{+0.000} / _{-0.003}	1.250 ±.001	8.07
MCU-0875-D	7/8	1-3/8	5/16	.313 ^{+0.015} / _{+0.000}	.875 ^{+0.000} / _{-0.003}	1.375 ±.001	9.51
MCU-1000-D	1	1-1/2	5/16	.313 ^{+0.015} / _{+0.000}	1.000 ^{+0.000} / _{-0.003}	1.500 ±.001	12.23
MCU-1120-D	1-1/8	1-5/8	5/16	.313 ^{+0.015} / _{+0.000}	1.125 ^{+0.000} / _{-0.003}	1.625 ±.001	13.15
MCU-1187-G	1-3/16	1-5/8	1/4	.250 ^{+0.015} / _{+0.000}	1.187 ^{+0.000} / _{-0.003}	1.625 ±.001	11.78
MCU-1254-D	1-1/4	1-3/4	1/4	.250 ^{+0.015} / _{+0.000}	1.250 ^{+0.000} / _{-0.003}	1.750 ±.001	18.30
MCU-1250-D	1-1/4	1-3/4	5/16	.313 ^{+0.015} / _{+0.000}	1.250 ^{+0.000} / _{-0.003}	1.750 ±.001	15.82
MCU-1255	1-1/4	2.062	3/8	.375 ^{+0.0150} / _{-0.3375}	1.250 ^{+0.000} / _{-0.003}	2.063 ±.001	8.32
MCU-1375-D	1-3/8	1-7/8	5/16	.313 ^{+0.015} / _{+0.000}	1.375 ^{+0.000} / _{-0.003}	1.875 ±.001	16.01
MCU-1501-D	1-1/2	1-7/8	1/4	.250 ^{+0.015} / _{+0.000}	1.500 ^{+0.000} / _{-0.003}	1.875 ±.001	16.04
MCU-1502-D	1-1/2	2	1/4	.250 ^{+0.015} / _{+0.000}	1.500 ^{+0.000} / _{-0.003}	2.000 ±.001	16.59
MCU-1500-D	1-1/2	2	5/16	.313 ^{+0.015} / _{+0.000}	1.500 ^{+0.000} / _{-0.003}	2.000 ±.001	16.17
MCU-1505-G	1-1/2	2-1/8	5/16	.313 ^{+0.015} / _{+0.000}	1.500 ^{+0.000} / _{-0.003}	2.125 ±.001	12.35
MCU-1506-D	1-1/2	2-1/4	3/8	.375 ^{+0.015} / _{+0.000}	1.500 ^{+0.000} / _{-0.003}	2.250 ±.001	16.85
MCU-1624-D	1-5/8	2-1/8	1/4	.250 ^{+0.015} / _{+0.000}	1.625 ^{+0.000} / _{-0.003}	2.125 ±.001	17.56

STYLE MCU HEAVY DUTY METAL CLAD WIPER RINGS

WIPER RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	D GROOVE WIDTH	E ROD DIAMETER	G HOUSING DIAMETER	List Price
MCU-1625-D	1-5/8	2-1/8	5/16	.313 ^{+0.015} / _{+0.000}	1.625 ^{+0.000} / _{-.003}	2.125 ±0.001	17.09
MCU-1751-D	1-3/4	2-1/4	1/4	.250 ^{+0.015} / _{+0.000}	1.750 ^{+0.000} / _{-.003}	2.250 ±0.001	17.47
MCU-1750-D	1-3/4	2-1/4	5/16	.313 ^{+0.015} / _{+0.000}	1.750 ^{+0.000} / _{-.003}	2.250 ±0.001	17.47
MCU-1755-D	1-3/4	2-7/16	3/8	.375 ^{+0.015} / _{+0.000}	1.750 ^{+0.000} / _{-.003}	2.438 ±0.001	17.78
MCU-1756-G	1-3/4	2-1/2	3/8	.375 ^{+0.015} / _{+0.000}	1.750 ^{+0.000} / _{-.003}	2.500 ±0.001	20.00
MCU-1875-D	1-7/8	2-3/8	5/16	.313 ^{+0.015} / _{+0.000}	1.875 ^{+0.000} / _{-.003}	2.375 ±0.001	17.89
MCU-1876-D	1-7/8	2-9/16	3/8	.375 ^{+0.015} / _{+0.000}	1.875 ^{+0.000} / _{-.003}	2.563 ±0.001	19.06
MCU-2001-G	2	2-3/8	1/4	.250 ^{+0.015} / _{+0.000}	2.000 ^{+0.000} / _{-.003}	2.375 ±0.001	15.75
MCU-2002-D	2	2-1/2	1/4	.250 ^{+0.015} / _{+0.000}	2.000 ^{+0.000} / _{-.003}	2.500 ±0.001	20.13
MCU-2000-D	2	2-1/2	5/16	.313 ^{+0.015} / _{+0.000}	2.000 ^{+0.000} / _{-.003}	2.500 ±0.001	18.12
MCU-2004-D	2	2-5/8	1/4	.250 ^{+0.015} / _{+0.000}	2.000 ^{+0.000} / _{-.003}	2.625 ±0.001	21.40
MCU-2006-D	2	2-11/16	3/8	.375 ^{+0.015} / _{+0.000}	2.000 ^{+0.000} / _{-.003}	2.688 ±0.001	22.88
MCU-2003-G	2	2-3/4	3/8	.375 ^{+0.015} / _{+0.000}	2.000 ^{+0.000} / _{-.003}	2.750 ±0.001	18.04
MCU-2126-G	2-1/8	2-1/2	3/16	.188 ^{+0.015} / _{+0.000}	2.125 ^{+0.000} / _{-.003}	2.500 ±0.001	23.50
MCU-2124-D	2-1/8	2-5/8	5/16	.313 ^{+0.015} / _{+0.000}	2.125 ^{+0.000} / _{-.003}	2.625 ±0.001	19.56
MCU-2125-D	2-1/8	2-7/8	3/8	.375 ^{+0.015} / _{+0.000}	2.125 ^{+0.000} / _{-.003}	2.875 ±0.001	13.25
MCU-2188-D	2-3/16	2-11/16	3/8	.375 ^{+0.015} / _{+0.000}	2.187 ^{+0.000} / _{-.003}	2.688 ±0.001	23.77
MCU-2251-D	2-1/4	2-3/4	1/4	.250 ^{+0.015} / _{+0.000}	2.250 ^{+0.000} / _{-.003}	2.750 ±0.001	19.40
MCU-2250-D	2-1/4	2-3/4	5/16	.313 ^{+0.015} / _{+0.000}	2.250 ^{+0.000} / _{-.003}	2.750 ±0.001	19.40
MCU-2252-G	2-1/4	3	1/4	.250 ^{+0.015} / _{+0.000}	2.250 ^{+0.000} / _{-.003}	3.000 ±0.001	19.95
MCU-2253-D	2-1/4	3	3/8	.375 ^{+0.015} / _{+0.000}	2.250 ^{+0.000} / _{-.003}	3.000 ±0.001	20.29
MCU-2375-D	2-3/8	2-7/8	5/16	.313 ^{+0.015} / _{+0.000}	2.375 ^{+0.000} / _{-.003}	2.875 ±0.001	16.63
MCU-2376-D	2-3/8	3-1/8	3/8	.375 ^{+0.015} / _{+0.000}	2.375 ^{+0.000} / _{-.003}	3.125 ±0.001	16.76
MCU-2503-D	2-1/2	3	3/16	.188 ^{+0.015} / _{+0.000}	2.500 ^{+0.000} / _{-.003}	3.000 ±0.001	19.69
MCU-2500-D	2-1/2	3	5/16	.313 ^{+0.015} / _{+0.000}	2.500 ^{+0.000} / _{-.003}	3.000 ±0.001	21.96
MCU-2504-G	2-1/2	3-3/16	3/8	.375 ^{+0.015} / _{+0.000}	2.500 ^{+0.000} / _{-.003}	3.188 ±0.001	36.97
MCU-2501-D	2-1/2	3-1/4	1/4	.250 ^{+0.015} / _{+0.000}	2.500 ^{+0.000} / _{-.003}	3.250 ±0.001	17.46
MCU-2502-D	2-1/2	3-1/4	3/8	.375 ^{+0.015} / _{+0.000}	2.500 ^{+0.000} / _{-.003}	3.250 ±0.001	22.32
MCU-2625-D	2-5/8	3-1/8	1/4	.250 ^{+0.015} / _{+0.000}	2.625 ^{+0.000} / _{-.003}	3.125 ±0.001	22.32
MCU-2624-D	2-5/8	3-1/8	5/16	.313 ^{+0.015} / _{+0.000}	2.625 ^{+0.000} / _{-.003}	3.125 ±0.001	25.48
MCU-2626-G	2-5/8	3-3/8	3/8	.375 ^{+0.015} / _{+0.000}	2.625 ^{+0.000} / _{-.003}	3.375 ±0.001	75.86
MCU-2750-D	2-3/4	3-1/4	5/16	.313 ^{+0.015} / _{+0.000}	2.750 ^{+0.000} / _{-.003}	3.250 ±0.001	24.86
MCU-2754-D	2-3/4	3-1/2	1/4	.250 ^{+0.015} / _{+0.000}	2.750 ^{+0.000} / _{-.003}	3.500 ±0.001	21.12

STYLE MCU HEAVY DUTY METAL CLAD WIPER RINGS

WIPER RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	D GROOVE WIDTH	E ROD DIAMETER	G HOUSING DIAMETER	List Price
MCU-2756-G	2-3/4	3-1/2	3/8	.375 ^{+0.015} / _{+0.000}	2.750 ^{+0.000} / _{-0.003}	3.500 ±.001	22.54
MCU-2758-D	2-3/4	3-1/2	1/2	.500 ^{+0.015} / _{+0.000}	2.750 ^{+0.000} / _{-0.003}	3.500 ±.001	32.60
MCU-2755-D	2-3/4	3-3/4	1/2	.500 ^{+0.015} / _{+0.000}	2.750 ^{+0.000} / _{-0.003}	3.750 ±.001	27.08
MCU-3000-D	3	3-1/2	5/16	.313 ^{+0.015} / _{+0.000}	3.000 ^{+0.000} / _{-0.004}	3.500 ±.001	25.57
MCU-3002-D	3	3-3/4	1/4	.250 ^{+0.015} / _{+0.000}	3.000 ^{+0.000} / _{-0.004}	3.750 ±.001	25.57
MCU-3008-D	3	4	1/2	.500 ^{+0.015} / _{+0.000}	3.000 ^{+0.000} / _{-0.004}	4.000 ±.001	29.67
MCU-3125-D	3-1/8	3-3/4	3/8	.375 ^{+0.015} / _{+0.000}	3.125 ^{+0.000} / _{-0.004}	3.750 ±.001	22.77
MCU-3254-D	3-1/4	3-3/4	5/16	.313 ^{+0.015} / _{+0.000}	3.250 ^{+0.000} / _{-0.004}	3.750 ±.001	24.74
MCU-3256-D	3-1/4	3-7/8	5/16	.313 ^{+0.015} / _{+0.000}	3.250 ^{+0.000} / _{-0.004}	3.875 ±.001	24.74
MCU-3250-D	3-1/4	4-1/4	1/2	.500 ^{+0.015} / _{+0.000}	3.250 ^{+0.000} / _{-0.004}	4.250 ±.001	30.31
MCU-3375-D	3-3/8	4	5/16	.313 ^{+0.015} / _{+0.000}	3.375 ^{+0.000} / _{-0.004}	4.000 ±.001	19.75
MCU-3500-D	3-1/2	4	5/16	.313 ^{+0.015} / _{+0.000}	3.500 ^{+0.000} / _{-0.004}	4.000 ±.001	24.86
MCU-3506-D	3-1/2	4-1/8	5/16	.313 ^{+0.015} / _{+0.000}	3.500 ^{+0.000} / _{-0.004}	4.125 ±.001	34.11
MCU-3504-D	3-1/2	4-1/4	1/4	.250 ^{+0.015} / _{+0.000}	3.500 ^{+0.000} / _{-0.004}	4.250 ±.001	34.74
MCU-3508-D	3-1/2	4-1/2	1/2	.500 ^{+0.015} / _{+0.000}	3.500 ^{+0.000} / _{-0.004}	4.500 ±.001	35.32
MCU-3750-D	3-3/4	4-1/4	5/16	.313 ^{+0.015} / _{+0.000}	3.750 ^{+0.000} / _{-0.004}	4.250 ±.001	39.93
MCU-3754-D	3-3/4	4-3/8	5/16	.313 ^{+0.015} / _{+0.000}	3.750 ^{+0.000} / _{-0.004}	4.375 ±.001	41.04
MCU-3755-D	3-3/4	4-1/2	5/16	.313 ^{+0.015} / _{+0.000}	3.750 ^{+0.000} / _{-0.004}	4.500 ±.001	32.21
MCU-3751-D	3-3/4	4-3/4	1/2	.500 ^{+0.015} / _{+0.000}	3.750 ^{+0.000} / _{-0.004}	4.750 ±.001	30.25
MCU-4005-D	4	4-5/8	5/16	.313 ^{+0.015} / _{+0.000}	4.000 ^{+0.000} / _{-0.004}	4.625 ±.001	48.04
MCU-4002-D	4	4-3/4	5/16	.313 ^{+0.015} / _{+0.000}	4.000 ^{+0.000} / _{-0.004}	4.750 ±.001	49.37
MCU-4000-D	4	5	1/2	.500 ^{+0.015} / _{+0.000}	4.000 ^{+0.000} / _{-0.004}	5.000 ±.001	38.81
MCU-4252-D	4-1/4	4-3/4	5/16	.313 ^{+0.015} / _{+0.000}	4.250 ^{+0.000} / _{-0.004}	4.750 ±.001	39.63
MCU-4250-D	4-1/4	5-1/4	1/2	.500 ^{+0.015} / _{+0.000}	4.250 ^{+0.000} / _{-0.004}	5.250 ±.001	49.77
MCU-4375-D	4-3/8	5	5/16	.313 ^{+0.015} / _{+0.000}	4.375 ^{+0.000} / _{-0.004}	5.000 ±.001	58.96
MCU-4505-D	4-1/2	5-1/8	5/16	.313 ^{+0.015} / _{+0.000}	4.500 ^{+0.000} / _{-0.004}	5.125 ±.001	66.57
MCU-4506-G	4-1/2	5-1/4	5/16	.313 ^{+0.015} / _{+0.000}	4.500 ^{+0.000} / _{-0.004}	5.250 ±.001	39.87
MCU-4507-D	4-1/2	5-1/2	5/16	.313 ^{+0.015} / _{+0.000}	4.500 ^{+0.000} / _{-0.004}	5.500 ±.001	31.91
MCU-4508-D	4-1/2	5-1/2	1/2	.500 ^{+0.015} / _{+0.000}	4.500 ^{+0.000} / _{-0.004}	5.500 ±.001	66.57
MCU-4751-D	4-3/4	5-3/8	5/16	.313 ^{+0.015} / _{+0.000}	4.750 ^{+0.000} / _{-0.004}	5.375 ±.001	52.99
MCU-4750-D	4-3/4	5-3/4	1/2	.500 ^{+0.015} / _{+0.000}	4.750 ^{+0.000} / _{-0.004}	5.750 ±.001	54.29
MCU-5001-G	5	5-5/8	5/16	.313 ^{+0.015} / _{+0.000}	5.000 ^{+0.000} / _{-0.004}	5.625 ±.001	50.70
MCU-5003	5	5-5/8	3/8	.375 ^{+0.015} / _{+0.000}	5.000 ^{+0.000} / _{-0.004}	5.625 ±.001	24.09

STYLE MCU HEAVY DUTY METAL CLAD WIPER RINGS

WIPER RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	D GROOVE WIDTH	E ROD DIAMETER	G HOUSING DIAMETER	List Price
MCU-5000-D	5	5-3/4	5/16	.313 ^{+0.015} / _{+0.000}	5.000 ^{+0.000} / _{-0.004}	5.750 ±.001	52.99
MCU-5002-D	5	6	1/2	.500 ^{+0.015} / _{+0.000}	5.000 ^{+0.000} / _{-0.004}	6.000 ±.001	72.06
MCU-5250-D	5-1/4	6	5/16	.313 ^{+0.015} / _{+0.000}	5.250 ^{+0.000} / _{-0.004}	6.000 ±.001	76.61
MCU-5500-D	5-1/2	6-1/8	3/8	.375 ^{+0.015} / _{+0.000}	5.500 ^{+0.000} / _{-0.004}	6.125 ±.001	57.89
MCU-5502-G	5-1/2	6-1/4	5/16	.313 ^{+0.015} / _{+0.000}	5.500 ^{+0.000} / _{-0.004}	6.250 ±.001	45.47
MCU-5750-D	5-3/4	6-3/8	3/8	.375 ^{+0.015} / _{+0.000}	5.750 ^{+0.000} / _{-0.004}	6.375 ±.001	80.89
MCU-5752	5-3/4	6-1/2	.406	.406 ^{+0.015} / _{+0.000}	5.750 ^{+0.000} / _{-0.004}	6.500 ±.001	44.74
MCU-5751-D	5-3/4	6-3/4	1/2	.500 ^{+0.015} / _{+0.000}	5.750 ^{+0.000} / _{-0.004}	6.750 ±.001	47.24
MCU-6001-D	6	6-5/8	3/8	.375 ^{+0.015} / _{+0.000}	6.000 ^{+0.000} / _{-0.004}	6.625 ±.001	77.05
MCU-6000-D	6	6-3/4	3/8	.375 ^{+0.015} / _{+0.000}	6.000 ^{+0.000} / _{-0.004}	6.750 ±.001	76.62
MCU-6002-D	6	7	1/2	.500 ^{+0.015} / _{+0.000}	6.000 ^{+0.000} / _{-0.004}	7.000 ±.001	98.03
MCU-6250-D	6-1/4	6-3/4	5/16	.313 ^{+0.015} / _{+0.000}	6.250 ^{+0.000} / _{-0.004}	6.750 ±.001	115.20
MCU-6503-D	6-1/2	7-1/4	5/16	.313 ^{+0.015} / _{+0.000}	6.500 ^{+0.000} / _{-0.004}	7.250 ±.001	96.30
MCU-6500-D	6-1/2	7-1/2	5/8	.625 ^{+0.015} / _{+0.000}	6.500 ^{+0.000} / _{-0.004}	7.500 ±.001	75.74
MCU-6751-D	6-3/4	7-1/4	5/16	.313 ^{+0.015} / _{+0.000}	6.750 ^{+0.000} / _{-0.004}	7.250 ±.001	96.30
MCU-6750-G	6-3/4	7-3/8	3/8	.375 ^{+0.015} / _{+0.000}	6.750 ^{+0.000} / _{-0.004}	7.375 ±.001	98.98
MCU-6753-D	6-3/4	7-3/4	1/2	.500 ^{+0.015} / _{+0.000}	6.750 ^{+0.000} / _{-0.004}	7.750 ±.001	73.65
MCU-7000-G	7	7-3/4	5/16	.313 ^{+0.015} / _{+0.000}	7.000 ^{+0.000} / _{-0.005}	7.750 ±.001	100.62
MCU-7002-D	7	8	1/2	.500 ^{+0.015} / _{+0.000}	7.000 ^{+0.000} / _{-0.005}	8.000 ±.001	171.72
MCU-8000-D	8	8-3/4	3/8	.375 ^{+0.015} / _{+0.000}	8.000 ^{+0.000} / _{-0.005}	8.750 ±.001	126.67
MCU-8120-D	8-1/8	8-5/8	5/16	.313 ^{+0.015} / _{+0.000}	8.125 ^{+0.000} / _{-0.005}	8.625 ±.001	89.33
MCU-11000-D	11	12	.55	.550 ^{+0.015} / _{+0.000}	11.000 ^{+0.000} / _{-0.006}	12.000 ±.001	139.08
MCU-12500-D	12-1/2	13-1/2	.55	.550 ^{+0.015} / _{+0.000}	12.500 ^{+0.000} / _{-0.006}	13.500 ±.001	145.25
MCU-13500-D	13-1/2	14-1/2	.55	.550 ^{+0.015} / _{+0.000}	13.500 ^{+0.000} / _{-0.006}	14.500 ±.001	149.10