



STYLE 568, 70 DURO BUNA-N O-RINGS



HERCULES PART NUMBERS



SEAL INFORMATION

MATERIAL	BUNA-N RUBBER
TEMPERATURE RANGE	-40° TO +240° F
PRESSURE RANGE	VARIABLE ACCORDING TO DIAMETRAL CLEARANCE

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
1/32" C/S							
568-001	1/32	3/32	1/32	.029 ±.004	.040 ±.003	50	\$0.06
568-001-1/2	1/16	1/8	1/32	.070 ±.004	.040 ±.003	50	0.26
3/64" C/S							
568-002	3/64	9/64	3/64	.042 ±.004	.050 ±.003	50	\$0.06
1/16" C/S							
568-003	1/16	3/16	1/16	.056 ±.004	.060 ±.003	50	\$0.06
568-004	5/64	13/64	1/16	.070 ±.005	.070 ±.003	50	0.06
568-005	3/32	7/32	1/16	.101 ±.005	.070 ±.003	50	0.06
568-006	1/8	1/4	1/16	.114 ±.005	.070 ±.003	50	0.03
568-007	5/32	9/32	1/16	.145 ±.005	.070 ±.003	50	0.03
568-008	3/16	5/16	1/16	.176 ±.005	.070 ±.003	50	0.03
568-009	7/32	11/32	1/16	.208 ±.005	.070 ±.003	50	0.03
568-010	1/4	3/8	1/16	.239 ±.005	.070 ±.003	50	0.06
568-011	5/16	7/16	1/16	.301 ±.005	.070 ±.003	50	0.06
568-012	3/8	1/2	1/16	.364 ±.005	.070 ±.003	50	0.06
568-013	7/16	9/16	1/16	.426 ±.005	.070 ±.003	50	0.06
568-014	1/2	5/8	1/16	.489 ±.005	.070 ±.003	50	0.06
568-015	9/16	11/16	1/16	.551 ±.007	.070 ±.003	50	0.08
568-016	5/8	3/4	1/16	.614 ±.009	.070 ±.003	50	0.08
568-017	11/16	13/16	1/16	.676 ±.009	.070 ±.003	50	0.11
568-018	3/4	7/8	1/16	.739 ±.009	.070 ±.003	50	0.11
568-019	13/16	15/16	1/16	.801 ±.009	.070 ±.003	50	0.12
568-020	7/8	1	1/16	.864 ±.009	.070 ±.003	50	0.12
568-021	15/16	1-1/16	1/16	.926 ±.009	.070 ±.003	50	0.12
568-022	1	1-1/8	1/16	.989 ±.010	.070 ±.003	50	0.12
568-023	1-1/16	1-3/16	1/16	1.051 ±.010	.070 ±.003	50	0.14
568-024	1-1/8	1-1/4	1/16	1.114 ±.010	.070 ±.003	50	0.14
568-025	1-3/16	1-5/16	1/16	1.176 ±.011	.070 ±.003	50	0.19
568-026	1-1/4	1-3/8	1/16	1.239 ±.011	.070 ±.003	50	0.21
568-027	1-5/16	1-7/16	1/16	1.301 ±.011	.070 ±.003	50	0.21
568-028	1-3/8	1-1/2	1/16	1.364 ±.013	.070 ±.003	20	0.21
568-029	1-1/2	1-5/8	1/16	1.489 ±.013	.070 ±.003	20	0.24
568-030	1-5/8	1-3/4	1/16	1.614 ±.013	.070 ±.003	20	0.27
568-031	1-3/4	1-7/8	1/16	1.739 ±.015	.070 ±.003	20	0.30
568-032	1-7/8	2	1/16	1.864 ±.015	.070 ±.003	20	0.34
568-033	2	2-1/8	1/16	1.989 ±.018	.070 ±.003	20	0.42
568-034	2-1/8	2-1/4	1/16	2.114 ±.018	.070 ±.003	20	0.45
568-035	2-1/4	2-3/8	1/16	2.239 ±.018	.070 ±.003	20	0.45
568-036	2-3/8	2-1/2	1/16	2.364 ±.018	.070 ±.003	20	0.48
568-037	2-1/2	2-5/8	1/16	2.489 ±.018	.070 ±.003	20	0.48
568-038	2-5/8	2-3/4	1/16	2.614 ±.020	.070 ±.003	20	0.55
568-039	2-3/4	2-7/8	1/16	2.739 ±.020	.070 ±.003	20	0.56

STYLE 568, 70 DURO BUNA-N O-RINGS

O-RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-040	2-7/8	3	1/16	2.864 ±.020	.070 ±.003	20	0.58
568-041	3	3-1/8	1/16	2.989 ±.024	.070 ±.003	20	0.65
568-042	3-1/4	3-3/8	1/16	3.239 ±.024	.070 ±.003	20	0.72
568-043	3-1/2	3-5/8	1/16	3.489 ±.024	.070 ±.003	20	0.76
568-044	3-3/4	3-7/8	1/16	3.739 ±.027	.070 ±.003	10	0.89
568-045	4	4-1/8	1/16	3.989 ±.027	.070 ±.003	10	0.91
568-046	4-1/4	4-3/8	1/16	4.239 ±.030	.070 ±.003	10	0.99
568-047	4-1/2	4-5/8	1/16	4.489 ±.030	.070 ±.003	10	1.08
568-048	4-3/4	4-7/8	1/16	4.739 ±.030	.070 ±.003	10	1.30
568-049	5	5-1/8	1/16	4.989 ±.037	.070 ±.003	10	1.67
568-050	5-1/4	5-3/8	1/16	5.239 ±.037	.070 ±.003	10	1.67
3/32" C/S							
568-102	1/16	1/4	3/32	.049 ±.005	.103 ±.003	50	\$0.11
568-103	3/32	9/32	3/32	.081 ±.005	.103 ±.003	50	0.11
568-104	1/8	5/16	3/32	.112 ±.005	.103 ±.003	50	0.06
568-105	5/32	11/32	3/32	.143 ±.005	.103 ±.003	50	0.06
568-106	3/16	3/8	3/32	.174 ±.005	.103 ±.003	50	0.06
568-107	7/32	13/32	3/32	.206 ±.005	.103 ±.003	50	0.06
568-108	1/4	7/16	3/32	.237 ±.005	.103 ±.003	50	0.14
568-109	5/16	1/2	3/32	.299 ±.005	.103 ±.003	50	0.06
568-110	3/8	9/16	3/32	.362 ±.005	.103 ±.003	50	0.08
568-111	7/16	5/8	3/32	.424 ±.005	.103 ±.003	50	0.08
568-112	1/2	11/16	3/32	.487 ±.005	.103 ±.003	50	0.08
568-113	9/16	3/4	3/32	.549 ±.005	.103 ±.003	50	0.08
568-114	5/8	13/16	3/32	.612 ±.009	.103 ±.003	50	0.11
568-115	11/16	7/8	3/32	.674 ±.009	.103 ±.003	50	0.11
568-116	3/4	15/16	3/32	.737 ±.009	.103 ±.003	50	0.11
568-117	13/16	1	3/32	.799 ±.010	.103 ±.003	50	0.11
568-118	7/8	1-1/16	3/32	.862 ±.010	.103 ±.003	50	0.12
568-119	15/16	1-1/8	3/32	.924 ±.010	.103 ±.003	50	0.12
568-120	1	1-3/16	3/32	.987 ±.010	.103 ±.003	50	0.12
568-121	1-1/16	1-1/4	3/32	1.049 ±.010	.103 ±.003	50	0.14
568-122	1-1/8	1-5/16	3/32	1.112 ±.010	.103 ±.003	50	0.14
568-123	1-3/16	1-3/8	3/32	1.174 ±.012	.103 ±.003	50	0.14
568-124	1-1/4	1-7/16	3/32	1.237 ±.012	.103 ±.003	50	0.21
568-125	1-5/16	1-1/2	3/32	1.299 ±.012	.103 ±.003	50	0.21
568-126	1-3/8	1-9/16	3/32	1.362 ±.012	.103 ±.003	20	0.24
568-127	1-7/16	1-5/8	3/32	1.424 ±.012	.103 ±.003	20	0.26
568-128	1-1/2	1-11/16	3/32	1.487 ±.012	.103 ±.003	20	0.27
568-129	1-9/16	1-3/4	3/32	1.549 ±.015	.103 ±.003	20	0.27
568-130	1-5/8	1-13/16	3/32	1.612 ±.015	.103 ±.003	20	0.30
568-131	1-11/16	1-7/8	3/32	1.674 ±.015	.103 ±.003	20	0.32
568-132	1-3/4	1-15/16	3/32	1.737 ±.015	.103 ±.003	20	0.32
568-133	1-13/16	2	3/32	1.799 ±.015	.103 ±.003	20	0.34
568-134	1-7/8	2-1/16	3/32	1.862 ±.015	.103 ±.003	20	0.34
568-135	1-15/16	2-1/8	3/32	1.925 ±.017	.103 ±.003	20	0.34
568-136	2	2-3/16	3/32	1.987 ±.017	.103 ±.003	20	0.35
568-137	2-1/16	2-1/4	3/32	2.050 ±.017	.103 ±.003	20	0.35
568-138	2-1/8	2-5/16	3/32	2.112 ±.017	.103 ±.003	20	0.42
568-139	2-3/16	2-3/8	3/32	2.175 ±.017	.103 ±.003	20	0.42
568-140	2-1/4	2-7/16	3/32	2.237 ±.017	.103 ±.003	20	0.42
568-141	2-5/16	2-1/2	3/32	2.300 ±.020	.103 ±.003	20	0.48
568-142	2-3/8	2-9/16	3/32	2.362 ±.020	.103 ±.003	20	0.48
568-143	2-7/16	2-5/8	3/32	2.425 ±.020	.103 ±.003	20	0.48
568-144	2-1/2	2-11/16	3/32	2.487 ±.020	.103 ±.003	20	0.55
568-145	2-9/16	2-3/4	3/32	2.550 ±.020	.103 ±.003	20	0.55
568-146	2-5/8	2-13/16	3/32	2.612 ±.020	.103 ±.003	20	0.55

STYLE 568, 70 DURO BUNA-N O-RINGS

O-RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-147	2-11/16	2-7/8	3/32	2.675 ±.022	.103 ±.003	20	0.55
568-148	2-3/4	2-15/16	3/32	2.737 ±.022	.103 ±.003	20	0.55
568-149	2-13/16	3	3/32	2.800 ±.022	.103 ±.003	20	0.56
568-150	2-7/8	3-1/16	3/32	2.862 ±.022	.103 ±.003	20	0.56
568-151	3	3-3/16	3/32	2.987 ±.024	.103 ±.003	20	0.61
568-152	3-1/4	3-7/16	3/32	3.237 ±.024	.103 ±.003	20	0.72
568-153	3-1/2	3-11/16	3/32	3.487 ±.024	.103 ±.003	20	0.76
568-154	3-3/4	3-15/16	3/32	3.737 ±.028	.103 ±.003	20	0.76
568-155	4	4-3/16	3/32	3.987 ±.028	.103 ±.003	10	0.99
568-156	4-1/4	4-7/16	3/32	4.237 ±.030	.103 ±.003	10	1.23
568-157	4-1/2	4-11/16	3/32	4.487 ±.030	.103 ±.003	10	1.27
568-158	4-3/4	4-15/16	3/32	4.737 ±.030	.103 ±.003	10	1.30
568-159	5	5-3/16	3/32	4.987 ±.035	.103 ±.003	10	1.39
568-160	5-1/4	5-7/16	3/32	5.237 ±.035	.103 ±.003	5	1.49
568-161	5-1/2	5-11/16	3/32	5.487 ±.035	.103 ±.003	5	1.67
568-162	5-3/4	5-15/16	3/32	5.737 ±.035	.103 ±.003	5	1.95
568-163	6	6-3/16	3/32	5.987 ±.035	.103 ±.003	5	2.04
568-164	6-1/4	6-7/16	3/32	6.237 ±.040	.103 ±.003	5	2.27
568-165	6-1/2	6-11/16	3/32	6.487 ±.040	.103 ±.003	5	2.34
568-166	6-3/4	6-15/16	3/32	6.737 ±.040	.103 ±.003	5	2.34
568-167	7	7-3/16	3/32	6.987 ±.040	.103 ±.003	5	2.34
568-168	7-1/4	7-7/16	3/32	7.237 ±.045	.103 ±.003	5	2.56
568-169	7-1/2	7-11/16	3/32	7.487 ±.045	.103 ±.003	5	2.65
568-170	7-3/4	7-15/16	3/32	7.737 ±.045	.103 ±.003	5	2.73
568-171	8	8-3/16	3/32	7.987 ±.045	.103 ±.003	1	3.40
568-172	8-1/4	8-7/16	3/32	8.237 ±.050	.103 ±.003	1	3.54
568-173	8-1/2	8-11/16	3/32	8.487 ±.050	.103 ±.003	1	3.78
568-174	8-3/4	8-15/16	3/32	8.737 ±.050	.103 ±.003	1	4.16
568-175	9	9-3/16	3/32	8.987 ±.050	.103 ±.003	1	4.55
568-176	9-1/4	9-7/16	3/32	9.237 ±.055	.103 ±.003	1	4.91
568-177	9-1/2	9-11/16	3/32	9.487 ±.055	.103 ±.003	1	5.07
568-178	9-3/4	9-15/16	3/32	9.737 ±.055	.103 ±.003	1	5.31
1/8" C/S							
568-201	3/16	7/16	1/8	.171 ±.005	.139 ±.004	50	\$0.06
568-202	1/4	1/2	1/8	.234 ±.005	.139 ±.004	50	0.06
568-203	5/16	9/16	1/8	.296 ±.005	.139 ±.004	50	0.08
568-204	3/8	5/8	1/8	.359 ±.005	.139 ±.004	50	0.08
568-205	7/16	11/16	1/8	.421 ±.005	.139 ±.004	50	0.08
568-206	1/2	3/4	1/8	.484 ±.005	.139 ±.004	50	0.11
568-207	9/16	13/16	1/8	.546 ±.007	.139 ±.004	50	0.11
568-208	5/8	7/8	1/8	.609 ±.009	.139 ±.004	50	0.12
568-209	11/16	15/16	1/8	.671 ±.009	.139 ±.004	50	0.12
568-210	3/4	1	1/8	.734 ±.010	.139 ±.004	50	0.12
568-211	13/16	1-1/16	1/8	.796 ±.010	.139 ±.004	50	0.14
568-212	7/8	1-1/8	1/8	.859 ±.010	.139 ±.004	50	0.14
568-213	15/16	1-3/16	1/8	.921 ±.010	.139 ±.004	50	0.14
568-214	1	1-1/4	1/8	.984 ±.010	.139 ±.004	50	0.19
568-215	1-1/16	1-5/16	1/8	1.046 ±.010	.139 ±.004	50	0.21
568-216	1-1/8	1-3/8	1/8	1.109 ±.012	.139 ±.004	50	0.21
568-217	1-3/16	1-7/16	1/8	1.171 ±.012	.139 ±.004	50	0.24
568-218	1-1/4	1-1/2	1/8	1.234 ±.012	.139 ±.004	50	0.24
568-219	1-5/16	1-9/16	1/8	1.296 ±.012	.139 ±.004	50	0.24
568-220	1-3/8	1-5/8	1/8	1.359 ±.012	.139 ±.004	20	0.26
568-221	1-7/16	1-11/16	1/8	1.421 ±.012	.139 ±.004	20	0.27
568-222	1-1/2	1-3/4	1/8	1.484 ±.015	.139 ±.004	20	0.30
568-223	1-5/8	1-7/8	1/8	1.609 ±.015	.139 ±.004	20	0.34
568-224	1-3/4	2	1/8	1.734 ±.015	.139 ±.004	20	0.62

STYLE 568, 70 DURO BUNA-N O-RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-225	1-7/8	2-1/8	1/8	1.859 ±.018	.139 ±.004	20	0.38
568-226	2	2-1/4	1/8	1.984 ±.018	.139 ±.004	20	0.45
568-227	2-1/8	2-3/8	1/8	2.109 ±.018	.139 ±.004	20	0.45
568-228	2-1/4	2-1/2	1/8	2.234 ±.020	.139 ±.004	20	0.48
568-229	2-3/8	2-5/8	1/8	2.359 ±.020	.139 ±.004	20	0.55
568-230	2-1/2	2-3/4	1/8	2.484 ±.020	.139 ±.004	20	0.58
568-231	2-5/8	2-7/8	1/8	2.609 ±.020	.139 ±.004	20	0.61
568-232	2-3/4	3	1/8	2.734 ±.024	.139 ±.004	20	0.61
568-233	2-7/8	3-1/8	1/8	2.859 ±.024	.139 ±.004	20	0.64
568-234	3	3-1/4	1/8	2.984 ±.024	.139 ±.004	20	0.68
568-235	3-1/8	3-3/8	1/8	3.109 ±.024	.139 ±.004	20	0.72
568-236	3-1/4	3-1/2	1/8	3.234 ±.024	.139 ±.004	20	0.76
568-237	3-3/8	3-5/8	1/8	3.359 ±.024	.139 ±.004	20	0.76
568-238	3-1/2	3-3/4	1/8	3.484 ±.024	.139 ±.004	20	0.80
568-239	3-5/8	3-7/8	1/8	3.609 ±.028	.139 ±.004	20	0.80
568-240	3-3/4	4	1/8	3.734 ±.028	.139 ±.004	20	0.83
568-241	3-7/8	4-1/8	1/8	3.859 ±.028	.139 ±.004	20	0.84
568-242	4	4-1/4	1/8	3.984 ±.028	.139 ±.004	10	0.91
568-243	4-1/8	4-3/8	1/8	4.109 ±.028	.139 ±.004	10	0.99
568-244	4-1/4	4-1/2	1/8	4.234 ±.030	.139 ±.004	10	1.02
568-245	4-3/8	4-5/8	1/8	4.359 ±.030	.139 ±.004	10	1.13
568-246	4-1/2	4-3/4	1/8	4.484 ±.030	.139 ±.004	10	1.30
568-247	4-5/8	4-7/8	1/8	4.609 ±.030	.139 ±.004	10	1.33
568-248	4-3/4	5	1/8	4.734 ±.030	.139 ±.004	10	1.37
568-249	4-7/8	5-1/8	1/8	4.859 ±.035	.139 ±.004	10	1.45
568-250	5	5-1/4	1/8	4.984 ±.035	.139 ±.004	10	1.45
568-251	5-1/8	5-3/8	1/8	5.109 ±.035	.139 ±.004	10	1.49
568-252	5-1/4	5-1/2	1/8	5.234 ±.035	.139 ±.004	10	1.49
568-253	5-3/8	5-5/8	1/8	5.359 ±.035	.139 ±.004	10	1.60
568-254	5-1/2	5-3/4	1/8	5.484 ±.035	.139 ±.004	5	1.75
568-255	5-5/8	5-7/8	1/8	5.609 ±.035	.139 ±.004	5	1.82
568-256	5-3/4	6	1/8	5.734 ±.035	.139 ±.004	5	1.90
568-257	5-7/8	6-1/8	1/8	5.859 ±.035	.139 ±.004	5	1.95
568-258	6	6-1/4	1/8	5.984 ±.035	.139 ±.004	5	2.04
568-259	6-1/4	6-1/2	1/8	6.234 ±.040	.139 ±.004	5	2.27
568-260	6-1/2	6-3/4	1/8	6.484 ±.040	.139 ±.004	5	2.27
568-261	6-3/4	7	1/8	6.734 ±.040	.139 ±.004	5	2.43
568-262	7	7-1/4	1/8	6.984 ±.040	.139 ±.004	5	2.50
568-263	7-1/4	7-1/2	1/8	7.234 ±.045	.139 ±.004	5	2.73
568-264	7-1/2	7-3/4	1/8	7.484 ±.045	.139 ±.004	5	2.79
568-265	7-3/4	8	1/8	7.734 ±.045	.139 ±.004	5	3.06
568-266	8	8-1/4	1/8	7.984 ±.045	.139 ±.004	5	3.11
568-267	8-1/4	8-1/2	1/8	8.234 ±.050	.139 ±.004	5	3.17
568-268	8-1/2	8-3/4	1/8	8.484 ±.050	.139 ±.004	1	3.48
568-269	8-3/4	9	1/8	8.734 ±.050	.139 ±.004	1	3.78
568-270	9	9-1/4	1/8	8.984 ±.050	.139 ±.004	1	3.78
568-271	9-1/4	9-1/2	1/8	9.234 ±.055	.139 ±.004	1	3.78
568-272	9-1/2	9-3/4	1/8	9.484 ±.055	.139 ±.004	1	3.78
568-273	9-3/4	10	1/8	9.734 ±.055	.139 ±.004	1	3.78
568-274	10	10-1/4	1/8	9.984 ±.055	.139 ±.004	1	3.78
568-275	10-1/2	10-3/4	1/8	10.484 ±.055	.139 ±.004	1	4.16
568-276	11	11-1/4	1/8	10.984 ±.065	.139 ±.004	1	4.55
568-277	11-1/2	11-3/4	1/8	11.484 ±.065	.139 ±.004	1	4.55
568-278	12	12-1/4	1/8	11.984 ±.065	.139 ±.004	1	4.91
568-279	13	13-1/4	1/8	12.984 ±.065	.139 ±.004	1	6.06
568-280	14	14-1/4	1/8	13.984 ±.065	.139 ±.004	1	7.43
568-281	15	15-1/4	1/8	14.984 ±.065	.139 ±.004	1	8.72

O-RINGS

STYLE 568, 70 DURO BUNA-N O-RINGS

O-RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-282	16	16-1/4	1/8	15.955 ±.075	.139 ±.004	1	9.47
568-283	17	17-1/4	1/8	16.955 ±.080	.139 ±.004	1	10.61
568-284	18	18-1/4	1/8	17.955 ±.085	.139 ±.004	1	12.10
3/16" C/S							
568-309	7/16	13/16	3/16	.412 ±.005	.210 ±.005	50	\$0.19
568-310	1/2	7/8	3/16	.475 ±.005	.210 ±.005	50	0.21
568-311	9/16	15/16	3/16	.537 ±.007	.210 ±.005	50	0.21
568-312	5/8	1	3/16	.600 ±.009	.210 ±.005	50	0.26
568-313	11/16	1-1/16	3/16	.662 ±.009	.210 ±.005	50	0.26
568-314	3/4	1-1/8	3/16	.725 ±.010	.210 ±.005	50	0.26
568-315	13/16	1-3/16	3/16	.787 ±.010	.210 ±.005	50	0.27
568-316	7/8	1-1/4	3/16	.850 ±.010	.210 ±.005	50	0.27
568-317	15/16	1-5/16	3/16	.912 ±.010	.210 ±.005	50	0.27
568-318	1	1-3/8	3/16	.975 ±.010	.210 ±.005	50	0.27
568-319	1-1/16	1-7/16	3/16	1.037 ±.010	.210 ±.005	50	0.32
568-320	1-1/8	1-1/2	3/16	1.100 ±.012	.210 ±.005	20	0.34
568-321	1-3/16	1-9/16	3/16	1.162 ±.012	.210 ±.005	20	0.34
568-322	1-1/4	1-5/8	3/16	1.225 ±.012	.210 ±.005	20	0.34
568-323	1-5/16	1-11/16	3/16	1.287 ±.012	.210 ±.005	20	0.34
568-324	1-3/8	1-3/4	3/16	1.350 ±.012	.210 ±.005	20	0.34
568-325	1-1/2	1-7/8	3/16	1.475 ±.015	.210 ±.005	20	0.38
568-326	1-5/8	2	3/16	1.600 ±.015	.210 ±.005	20	0.38
568-327	1-3/4	2-1/8	3/16	1.725 ±.015	.210 ±.005	20	0.48
568-328	1-7/8	2-1/4	3/16	1.850 ±.015	.210 ±.005	20	0.55
568-329	2	2-3/8	3/16	1.975 ±.018	.210 ±.005	20	0.58
568-330	2-1/8	2-1/2	3/16	2.100 ±.018	.210 ±.005	20	0.64
568-331	2-1/4	2-5/8	3/16	2.225 ±.018	.210 ±.005	20	0.68
568-332	2-3/8	2-3/4	3/16	2.350 ±.018	.210 ±.005	20	0.76
568-333	2-1/2	2-7/8	3/16	2.475 ±.020	.210 ±.005	20	0.83
568-334	2-5/8	3	3/16	2.600 ±.020	.210 ±.005	20	0.84
568-335	2-3/4	3-1/8	3/16	2.725 ±.020	.210 ±.005	10	0.91
568-336	2-7/8	3-1/4	3/16	2.850 ±.020	.210 ±.005	10	0.99
568-337	3	3-3/8	3/16	2.975 ±.024	.210 ±.005	10	1.02
568-338	3-1/8	3-1/2	3/16	3.100 ±.024	.210 ±.005	10	1.02
568-339	3-1/4	3-5/8	3/16	3.225 ±.024	.210 ±.005	10	1.13
568-340	3-3/8	3-3/4	3/16	3.350 ±.024	.210 ±.005	10	1.23
568-341	3-1/2	3-7/8	3/16	3.475 ±.024	.210 ±.005	10	1.23
568-342	3-5/8	4	3/16	3.600 ±.028	.210 ±.005	10	1.33
568-343	3-3/4	4-1/8	3/16	3.725 ±.028	.210 ±.005	10	1.37
568-344	3-7/8	4-1/4	3/16	3.850 ±.028	.210 ±.005	10	1.37
568-345	4	4-3/8	3/16	3.975 ±.028	.210 ±.005	10	1.49
568-346	4-1/8	4-1/2	3/16	4.100 ±.028	.210 ±.005	10	1.49
568-347	4-1/4	4-5/8	3/16	4.225 ±.030	.210 ±.005	10	1.49
568-348	4-3/8	4-3/4	3/16	4.350 ±.030	.210 ±.005	10	1.49
568-349	4-1/2	4-7/8	3/16	4.475 ±.030	.210 ±.005	10	1.67
568-350	4-5/8	5	3/16	4.600 ±.030	.210 ±.005	5	1.75
568-351	4-3/4	5-1/8	3/16	4.725 ±.030	.210 ±.005	5	1.75
568-352	4-7/8	5-1/4	3/16	4.850 ±.030	.210 ±.005	5	1.82
568-353	5	5-3/8	3/16	4.975 ±.037	.210 ±.005	5	1.90
568-354	5-1/8	5-1/2	3/16	5.100 ±.037	.210 ±.005	5	2.04
568-355	5-1/4	5-5/8	3/16	5.225 ±.037	.210 ±.005	5	2.27
568-356	5-3/8	5-3/4	3/16	5.350 ±.037	.210 ±.005	5	2.27
568-357	5-1/2	5-7/8	3/16	5.475 ±.037	.210 ±.005	5	2.34
568-358	5-5/8	6	3/16	5.600 ±.037	.210 ±.005	5	2.50
568-359	5-3/4	6-1/8	3/16	5.725 ±.037	.210 ±.005	5	2.50
568-360	5-7/8	6-1/4	3/16	5.850 ±.037	.210 ±.005	5	2.65
568-361	6	6-3/8	3/16	5.975 ±.037	.210 ±.005	5	2.73

STYLE 568, 70 DURO BUNA-N O-RINGS

O-RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-362	6-1/4	6-5/8	3/16	6.225 ±.040	.210 ±.005	5	2.79
568-363	6-1/2	6-7/8	3/16	6.475 ±.040	.210 ±.005	5	2.92
568-364	6-3/4	7-1/8	3/16	6.725 ±.040	.210 ±.005	5	3.06
568-365	7	7-3/8	3/16	6.975 ±.040	.210 ±.005	5	3.17
568-366	7-1/4	7-5/8	3/16	7.225 ±.045	.210 ±.005	5	3.17
568-367	7-1/2	7-7/8	3/16	7.475 ±.045	.210 ±.005	5	3.17
568-368	7-3/4	8-1/8	3/16	7.725 ±.045	.210 ±.005	5	3.17
568-369	8	8-3/8	3/16	7.975 ±.045	.210 ±.005	1	3.54
568-370	8-1/4	8-5/8	3/16	8.225 ±.050	.210 ±.005	1	3.92
568-371	8-1/2	8-7/8	3/16	8.475 ±.050	.210 ±.005	1	4.10
568-372	8-3/4	9-1/8	3/16	8.725 ±.050	.210 ±.005	1	4.16
568-373	9	9-3/8	3/16	8.975 ±.050	.210 ±.005	1	4.55
568-374	9-1/4	9-5/8	3/16	9.225 ±.055	.210 ±.005	1	4.63
568-375	9-1/2	9-7/8	3/16	9.475 ±.055	.210 ±.005	1	4.70
568-376	9-3/4	10-1/8	3/16	9.725 ±.055	.210 ±.005	1	4.77
568-377	10	10-3/8	3/16	9.975 ±.055	.210 ±.005	1	4.77
568-378	10-1/2	10-7/8	3/16	10.475 ±.060	.210 ±.005	1	6.06
568-379	11	11-3/8	3/16	10.975 ±.060	.210 ±.005	1	6.43
568-380	11-1/2	11-7/8	3/16	11.475 ±.065	.210 ±.005	1	6.58
568-381	12	12-3/8	3/16	11.975 ±.065	.210 ±.005	1	6.83
568-382	13	13-3/8	3/16	12.975 ±.065	.210 ±.005	1	6.83
568-383	14	14-3/8	3/16	13.975 ±.070	.210 ±.005	1	9.09
568-384	15	15-3/8	3/16	14.975 ±.070	.210 ±.005	1	9.09
568-385	16	16-3/8	3/16	15.955 ±.075	.210 ±.005	1	10.61
568-386	17	17-3/8	3/16	16.955 ±.080	.210 ±.005	1	11.36
568-387	18	18-3/8	3/16	17.955 ±.085	.210 ±.005	1	12.88
568-388	19	19-3/8	3/16	18.955 ±.090	.210 ±.005	1	13.25
568-389	20	20-3/8	3/16	19.955 ±.095	.210 ±.005	1	13.25
568-390	21	21-3/8	3/16	20.955 ±.095	.210 ±.005	1	13.25
568-391	22	22-3/8	3/16	21.955 ±.100	.210 ±.005	1	13.63
568-392	23	23-3/8	3/16	22.940 ±.105	.210 ±.005	1	13.63
568-393	24	24-3/8	3/16	23.940 ±.110	.210 ±.005	1	21.95
568-394	25	25-3/8	3/16	24.940 ±.115	.210 ±.005	1	21.97
568-395	26	26-3/8	3/16	25.940 ±.120	.210 ±.005	1	24.23
1/4" C/S							
568-400	1-3/8	1-7/8	1/4	1.225 ±.012	.275 ±.006	5	\$3.56
568-401	1-1/2	2	1/4	1.475 ±.014	.275 ±.006	5	3.60
568-402	1-5/8	2-1/8	1/4	1.600 ±.015	.275 ±.006	5	3.71
568-403	1-3/4	2-1/4	1/4	1.725 ±.016	.275 ±.006	5	3.72
568-404	1-7/8	2-3/8	1/4	1.850 ±.016	.275 ±.006	5	3.77
568-405	2	2-1/2	1/4	1.975 ±.017	.275 ±.006	5	3.83
568-406	2-1/8	2-5/8	1/4	2.100 ±.018	.275 ±.006	5	3.87
568-407	2-1/4	2-3/4	1/4	2.225 ±.018	.275 ±.006	5	3.97
568-408	2-3/8	2-7/8	1/4	2.350 ±.020	.275 ±.006	5	4.01
568-409	2-1/2	3	1/4	2.475 ±.020	.275 ±.006	5	4.10
568-410	2-5/8	3-1/8	1/4	2.600 ±.020	.275 ±.006	5	4.15
568-411	2-3/4	3-1/4	1/4	2.725 ±.022	.275 ±.006	5	4.20
568-412	2-7/8	3-3/8	1/4	2.850 ±.022	.275 ±.006	5	4.26
568-413	3	3-1/2	1/4	2.975 ±.024	.275 ±.006	5	4.29
568-414	3-1/8	3-5/8	1/4	3.100 ±.024	.275 ±.006	5	4.35
568-415	3-1/4	3-3/4	1/4	3.225 ±.024	.275 ±.006	5	4.44
568-416	3-3/8	3-7/8	1/4	3.350 ±.026	.275 ±.006	5	4.48
568-417	3-1/2	4	1/4	3.475 ±.026	.275 ±.006	5	4.56
568-418	3-5/8	4-1/8	1/4	3.600 ±.026	.275 ±.006	5	4.61
568-419	3-3/4	4-1/4	1/4	3.725 ±.028	.275 ±.006	5	4.65
568-420	3-7/8	4-3/8	1/4	3.850 ±.028	.275 ±.006	5	4.73
568-421	4	4-1/2	1/4	3.975 ±.028	.275 ±.006	5	4.82

STYLE 568, 70 DURO BUNA-N O-RINGS

O-RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-422	4-1/8	4-5/8	1/4	4.100 ±.030	.275 ±.006	5	4.90
568-423	4-1/4	4-3/4	1/4	4.225 ±.030	.275 ±.006	5	5.01
568-424	4-3/8	4-7/8	1/4	4.350 ±.030	.275 ±.006	5	5.15
568-425	4-1/2	5	1/4	4.475 ±.033	.275 ±.006	5	1.90
568-426	4-5/8	5-1/8	1/4	4.600 ±.033	.275 ±.006	5	1.90
568-427	4-3/4	5-1/4	1/4	4.725 ±.033	.275 ±.006	5	1.90
568-428	4-7/8	5-3/8	1/4	4.850 ±.033	.275 ±.006	5	2.04
568-429	5	5-1/2	1/4	4.975 ±.037	.275 ±.006	5	2.13
568-430	5-1/8	5-5/8	1/4	5.100 ±.037	.275 ±.006	5	2.13
568-431	5-1/4	5-3/4	1/4	5.225 ±.037	.275 ±.006	5	2.43
568-432	5-3/8	5-7/8	1/4	5.350 ±.037	.275 ±.006	5	2.47
568-433	5-1/2	6	1/4	5.475 ±.037	.275 ±.006	5	2.47
568-434	5-5/8	6-1/8	1/4	5.600 ±.037	.275 ±.006	5	2.50
568-435	5-3/4	6-1/4	1/4	5.725 ±.037	.275 ±.006	5	2.65
568-436	5-7/8	6-3/8	1/4	5.850 ±.037	.275 ±.006	5	2.65
568-437	6	6-1/2	1/4	5.975 ±.037	.275 ±.006	5	2.86
568-438	6-1/4	6-3/4	1/4	6.225 ±.040	.275 ±.006	5	3.06
568-439	6-1/2	7	1/4	6.475 ±.040	.275 ±.006	5	3.17
568-440	6-3/4	7-1/4	1/4	6.725 ±.040	.275 ±.006	1	3.40
568-441	7	7-1/2	1/4	6.975 ±.040	.275 ±.006	1	3.72
568-442	7-1/4	7-3/4	1/4	7.225 ±.045	.275 ±.006	1	3.78
568-443	7-1/2	8	1/4	7.475 ±.045	.275 ±.006	1	3.92
568-444	7-3/4	8-1/4	1/4	7.725 ±.045	.275 ±.006	1	4.16
568-445	8	8-1/2	1/4	7.975 ±.045	.275 ±.006	1	4.32
568-446	8-1/2	9	1/4	8.475 ±.055	.275 ±.006	1	4.47
568-447	9	9-1/2	1/4	8.975 ±.055	.275 ±.006	1	4.70
568-448	9-1/2	10	1/4	9.475 ±.055	.275 ±.006	1	4.70
568-449	10	10-1/2	1/4	9.975 ±.055	.275 ±.006	1	4.70
568-450	10-1/2	11	1/4	10.475 ±.060	.275 ±.006	1	5.68
568-451	11	11-1/2	1/4	10.975 ±.060	.275 ±.006	1	5.91
568-452	11-1/2	12	1/4	11.475 ±.060	.275 ±.006	1	6.43
568-453	12	12-1/2	1/4	11.975 ±.060	.275 ±.006	1	6.83
568-454	12-1/2	13	1/4	12.475 ±.060	.275 ±.006	1	7.20
568-455	13	13-1/2	1/4	12.975 ±.060	.275 ±.006	1	9.09
568-456	13-1/2	14	1/4	13.475 ±.070	.275 ±.006	1	9.09
568-457	14	14-1/2	1/4	13.975 ±.070	.275 ±.006	1	9.09
568-458	14-1/2	15	1/4	14.475 ±.070	.275 ±.006	1	9.09
568-459	15	15-1/2	1/4	14.975 ±.070	.275 ±.006	1	9.39
568-460	15-1/2	16	1/4	15.475 ±.070	.275 ±.006	1	9.84
568-461	16	16-1/2	1/4	15.955 ±.075	.275 ±.006	1	10.99
568-462	16-1/2	17	1/4	16.455 ±.075	.275 ±.006	1	11.36
568-463	17	17-1/2	1/4	16.955 ±.080	.275 ±.006	1	12.10
568-464	17-1/2	18	1/4	17.455 ±.085	.275 ±.006	1	12.88
568-465	18	18-1/2	1/4	17.955 ±.085	.275 ±.006	1	14.40
568-466	18-1/2	19	1/4	18.455 ±.085	.275 ±.006	1	14.40
568-467	19	19-1/2	1/4	18.955 ±.090	.275 ±.006	1	14.40
568-468	19-1/2	20	1/4	19.455 ±.090	.275 ±.006	1	15.15
568-469	20	20-1/2	1/4	19.955 ±.090	.275 ±.006	1	15.13
568-470	21	21-1/2	1/4	20.955 ±.090	.275 ±.006	1	15.16
568-471	22	22-1/2	1/4	21.955 ±.100	.275 ±.006	1	15.33
568-472	23	23-1/2	1/4	22.940 ±.105	.275 ±.006	1	15.41
568-473	24	24-1/2	1/4	23.940 ±.110	.275 ±.006	1	15.49
568-474	25	25-1/2	1/4	24.940 ±.115	.275 ±.006	1	15.67
568-475	26	26-1/2	1/4	25.940 ±.120	.275 ±.006	1	15.84