


STYLE 575 URETHANE BACK-UP RINGS

Molded of 95A Durometer Urethane these back-up rings provide excellent extrusion resistance. Stretched for installation, they return quickly to their original size for easy installation. **NOTE:** Sizes (Dash No.) correspond to standard o-ring numbers.



HERCULES PART NUMBERS

575 - 004
Prefix Dash Number

SEAL INFORMATION

MATERIAL	95A DUROMETER URETHANE
TEMPERATURE RANGE	-65° TO +220° F
PRESSURE RANGE	VARIABLE ACCORDING TO DIAMETRAL CLEARANCE

BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
1/16" C/S						
575-004	5/64	13/64	.045	.045 ±.003	10	\$1.35
575-005	3/32	7/32	.045	.045 ±.003	10	1.35
575-006	1/8	1/4	.045	.045 ±.003	10	1.35
575-007	5/32	9/32	.045	.045 ±.003	10	1.35
575-008	3/16	5/16	.045	.045 ±.003	10	1.35
575-009	7/32	11/32	.045	.045 ±.003	10	1.35
575-010	1/4	3/8	.04	.040 ±.003	10	1.35
575-011	5/16	7/16	.04	.040 ±.003	10	0.99
575-012	3/8	1/2	.04	.040 ±.003	10	0.99
575-013	7/16	9/16	.04	.040 ±.003	10	0.99
575-014	1/2	5/8	.04	.040 ±.003	10	0.99
575-015	9/16	11/16	.04	.040 ±.003	10	0.99
575-016	5/8	3/4	.04	.040 ±.003	10	1.16
575-017	11/16	13/16	.04	.040 ±.003	10	1.16
575-018	3/4	7/8	.04	.040 ±.003	10	1.16
575-019	13/16	15/16	.04	.040 ±.003	10	1.16
575-020	7/8	1	.04	.040 ±.003	10	1.16
575-021	15/16	1-1/16	.04	.040 ±.003	10	1.16
575-022	1	1-1/8	.04	.040 ±.003	10	1.16
575-023	1-1/16	1-3/16	.04	.040 ±.003	10	1.16
575-024	1-1/8	1-1/4	.04	.040 ±.003	10	1.16
575-025	1-3/16	1-5/16	.04	.040 ±.003	10	1.16
575-026	1-1/4	1-3/8	.04	.040 ±.003	10	1.29
575-027	1-5/16	1-7/16	.04	.040 ±.003	10	1.29
575-028	1-3/8	1-1/2	.04	.040 ±.003	10	1.29
575-029	1-1/2	1-5/8	.04	.040 ±.003	10	1.29
575-030	1-5/8	1-3/4	.04	.040 ±.003	10	1.29
575-031	1-3/4	1-7/8	.04	.040 ±.003	10	1.29
575-032	1-7/8	2	.04	.040 ±.003	10	1.29
575-033	2	2-1/8	.04	.040 ±.003	10	1.35
575-034	2-1/8	2-1/4	.04	.040 ±.003	10	1.35
575-035	2-1/4	2-3/8	.04	.040 ±.003	10	1.35
575-036	2-3/8	2-1/2	.04	.040 ±.003	10	1.35
575-037	2-1/2	2-5/8	.04	.040 ±.003	10	1.35
575-038	2-5/8	2-3/4	.04	.040 ±.003	10	1.35
575-039	2-3/4	2-7/8	.04	.040 ±.003	10	1.44
575-040	2-7/8	3	.04	.040 ±.003	10	1.51
575-041	3	3-1/8	.04	.040 ±.003	10	1.53
575-042	3-1/4	3-3/8	.04	.040 ±.003	10	1.55
575-043	3-1/2	3-5/8	.04	.040 ±.003	10	1.58

STYLE 575 URETHANE BACK-UP RINGS

BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
575-044	3-3/4	3-7/8	.04	.040 ±.003	10	1.67
575-045	4	4-1/8	.04	.040 ±.003	5	1.75
575-046	4-1/4	4-3/8	.04	.040 ±.003	5	1.83
575-047	4-1/2	4-5/8	.04	.040 ±.003	5	1.90
575-048	4-3/4	4-7/8	.04	.040 ±.003	5	1.95
575-049	5	5-1/8	.04	.040 ±.003	5	2.02
575-050	5-1/4	5-3/8	.04	.040 ±.003	5	2.07
3/32" C/S						
575-102	1/16	1/4	.045	.045 ±.003	10	\$ 1.88
575-103	3/32	9/32	.045	.045 ±.003	10	1.05
575-104	1/8	5/16	.05	.050 ±.005	10	1.05
575-105	5/32	11/32	.045	.045 ±.003	10	1.05
575-106	3/16	3/8	.045	.045 ±.003	10	1.05
575-107	7/32	13/32	.045	.045 ±.003	10	1.05
575-108	1/4	7/16	.04	.040 ±.003	10	1.05
575-109	5/16	.4	.04	.040 ±.003	10	1.05
575-110	3/8	9/16	.04	.040 ±.003	10	1.05
575-111	7/16	5/8	.04	.040 ±.003	10	1.05
575-112	1/2	11/16	.04	.040 ±.003	10	1.05
575-113	9/16	3/4	.04	.040 ±.003	10	1.05
575-114	5/8	13/16	.04	.040 ±.003	10	0.99
575-115	11/16	7/8	.04	.040 ±.003	10	0.99
575-116	3/4	15/16	.04	.040 ±.003	10	0.99
575-117	13/16	1	.04	.040 ±.003	10	1.05
575-118	7/8	1-1/16	.04	.040 ±.003	10	1.05
575-119	15/16	1-1/8	.04	.040 ±.003	10	1.05
575-120	1	1-3/16	.04	.040 ±.003	10	1.11
575-121	1-1/16	1-1/4	.04	.040 ±.003	10	1.11
575-122	1-1/8	1-5/16	.04	.040 ±.003	10	1.11
575-123	1-3/16	1-3/8	.04	.040 ±.003	10	1.11
575-124	1-1/4	1-7/16	.04	.040 ±.003	10	1.16
575-125	1-5/16	1-1/2	.04	.040 ±.003	10	1.16
575-126	1-3/8	1-9/16	.04	.040 ±.003	10	1.29
575-127	1-7/16	1-5/8	.04	.040 ±.003	10	1.29
575-128	1-1/2	1-11/16	.04	.040 ±.003	10	1.29
575-129	1-9/16	1-3/4	.04	.040 ±.003	10	1.29
575-130	1-5/8	1-13/16	.04	.040 ±.003	10	1.29
575-131	1-11/16	1-7/8	.04	.040 ±.003	10	1.29
575-132	1-3/4	1-15/16	.04	.040 ±.003	10	1.29
575-133	1-13/16	2	.04	.040 ±.003	10	1.29
575-134	1-7/8	2-1/16	.04	.040 ±.003	10	1.29
575-135	1-15/16	2-1/8	.04	.040 ±.003	10	1.29
575-136	2	2-3/16	.04	.040 ±.003	10	1.29
575-137	2-1/16	2-1/4	.04	.040 ±.003	10	1.29
575-138	2-1/8	2-5/16	.04	.040 ±.003	10	1.29
575-139	2-3/16	2-3/8	.04	.040 ±.003	10	1.29
575-140	2-1/4	2-7/16	.04	.040 ±.003	10	1.31
575-141	2-5/16	2-1/2	.04	.040 ±.003	10	1.31
575-142	2-3/8	2-9/16	.04	.040 ±.003	10	1.31
575-143	2-7/16	2-5/8	.04	.040 ±.003	10	1.35
575-144	2-1/2	2-11/16	.04	.040 ±.003	10	1.44
575-145	2-9/16	2-3/4	.04	.040 ±.003	10	1.44
575-146	2-5/8	2-13/16	.04	.040 ±.003	10	1.44
575-147	2-11/16	2-7/8	.04	.040 ±.003	10	1.44
575-148	2-3/4	2-15/16	.04	.040 ±.003	10	1.44
575-149	2-13/16	3	.04	.040 ±.003	10	1.44
575-150	2-7/8	3-1/16	.04	.040 ±.003	10	1.51

STYLE 575 URETHANE BACK-UP RINGS

BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
575-151	3	3-3/16	.04	.040 ±.003	10	1.51
575-152	3-1/4	3-7/16	.04	.040 ±.003	5	2.01
575-153	3-1/2	3-11/16	.04	.040 ±.003	5	2.03
575-154	3-3/4	3-15/16	.04	.040 ±.003	5	3.15
575-155	4	4-3/16	.04	.040 ±.003	5	3.17
575-156	4-1/4	4-7/16	.04	.040 ±.003	5	3.20
575-157	4-1/2	4-11/16	.04	.040 ±.003	5	3.20
575-158	4-3/4	4-15/16	.04	.040 ±.003	5	3.40
575-159	5	5-3/16	.04	.040 ±.003	1	3.48
575-160	5-1/4	5-7/16	.04	.040 ±.003	1	3.55
575-161	5-1/2	5-11/16	.04	.040 ±.003	1	3.61
575-162	5-3/4	5-15/16	.04	.040 ±.003	1	3.72
575-163	6	6-3/16	.04	.040 ±.003	1	4.04
575-164	6-1/4	6-7/16	.04	.040 ±.003	1	4.29
575-165	6-1/2	6-11/16	.04	.040 ±.003	1	4.34
575-166	6-3/4	6-15/16	.04	.040 ±.003	1	4.42
575-167	7	7-3/16	.04	.040 ±.003	1	4.45
575-168	7-1/4	7-7/16	.04	.040 ±.003	1	4.50
575-169	7-1/2	7-11/16	.04	.040 ±.003	1	4.58
575-170	7-3/4	7-15/16	.04	.040 ±.003	1	4.61
575-171	8	8-3/16	.04	.040 ±.003	1	4.66
575-172	8-1/4	8-7/16	.04	.040 ±.003	1	4.74
575-173	8-1/2	8-11/16	.04	.040 ±.003	1	4.76
575-174	8-3/4	8-15/16	.04	.040 ±.003	1	4.82
575-175	9	9-3/16	.04	.040 ±.003	1	4.86
1/8" C/S						
575-205	7/16	11/16	.04	.040 ±.003	10	\$0.99
575-206	1/2	3/4	.04	.040 ±.003	10	0.99
575-207	9/16	13/16	.04	.040 ±.003	10	0.99
575-208	5/8	7/8	.04	.040 ±.003	10	0.99
575-209	11/16	15/16	.04	.040 ±.003	10	0.99
575-210	3/4	1	.04	.040 ±.003	10	1.05
575-211	13/16	1-1/16	.04	.040 ±.003	10	1.05
575-212	7/8	1-1/8	.04	.040 ±.003	10	1.05
575-213	15/16	1-3/16	.04	.040 ±.003	10	1.05
575-214	1	1-1/4	.04	.040 ±.003	10	1.05
575-215	1-1/16	1-5/16	.04	.040 ±.003	10	1.11
575-216	1-1/8	1-3/8	.04	.040 ±.003	10	1.11
575-217	1-3/16	1-7/16	.04	.040 ±.003	10	1.11
575-218	1-1/4	1-1/2	.04	.040 ±.003	10	1.11
575-219	1-5/16	1-9/16	.04	.040 ±.003	10	1.11
575-220	1-3/8	1-5/8	.04	.040 ±.003	10	1.16
575-221	1-7/16	1-11/16	.04	.040 ±.003	10	1.16
575-222	1-1/2	1-3/4	.04	.040 ±.003	10	1.16
575-223	1-5/8	1-7/8	.04	.040 ±.003	10	1.21
575-224	1-3/4	2	.04	.040 ±.003	10	1.21
575-225	1-7/8	2-1/8	.04	.040 ±.003	10	1.29
575-226	2	2-1/4	.04	.040 ±.003	10	1.29
575-227	2-1/8	2-3/8	.04	.040 ±.003	10	1.29
575-228	2-1/4	2-1/2	.04	.040 ±.003	10	1.29
575-229	2-3/8	2-5/8	.04	.040 ±.003	10	1.29
575-230	2-1/2	2-3/4	.04	.040 ±.003	10	1.46
575-231	2-5/8	2-7/8	.04	.040 ±.003	10	1.46
575-232	2-3/4	3	.04	.040 ±.003	10	1.46
575-233	2-7/8	3-1/8	.04	.040 ±.003	10	1.46
575-234	3	3-1/4	.04	.040 ±.003	10	1.60
575-235	3-1/8	3-3/8	.04	.040 ±.003	10	1.60

STYLE 575 URETHANE BACK-UP RINGS

BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
575-236	3-1/4	3-1/2	.04	.040 ±.003	10	1.60
575-237	3-3/8	3-5/8	.04	.040 ±.003	5	1.86
575-238	3-1/2	3-3/4	.04	.040 ±.003	5	1.86
575-239	3-5/8	3-7/8	.04	.040 ±.003	5	2.26
575-240	3-3/4	4	.04	.040 ±.003	5	2.31
575-241	3-7/8	4-1/8	.04	.040 ±.003	5	2.31
575-242	4	4-1/4	.04	.040 ±.003	5	2.31
575-243	4-1/8	4-3/8	.04	.040 ±.003	5	2.31
575-244	4-1/4	4-1/2	.04	.040 ±.003	5	2.84
575-245	4-3/8	4-5/8	.04	.040 ±.003	5	2.84
575-246	4-1/2	4-3/4	.04	.040 ±.003	5	3.22
575-247	4-5/8	4-7/8	.04	.040 ±.003	5	3.22
575-248	4-3/4	5	.04	.040 ±.003	1	3.41
575-249	4-7/8	5-1/8	.04	.040 ±.003	1	3.57
575-250	5	5-1/4	.04	.040 ±.003	1	3.72
575-251	5-1/8	5-3/8	.04	.040 ±.003	1	4.03
575-252	5-1/4	5-1/2	.04	.040 ±.003	1	4.23
575-253	5-3/8	5-5/8	.04	.040 ±.003	1	4.47
575-254	5-1/2	5-3/4	.04	.040 ±.003	1	4.67
575-255	5-5/8	5-7/8	.04	.040 ±.003	1	4.84
575-256	5-3/4	6	.04	.040 ±.003	1	5.05
575-257	5-7/8	6-1/8	.04	.040 ±.003	1	5.34
575-258	6	6-1/4	.04	.040 ±.003	1	5.48
575-259	6-1/4	6-1/2	.04	.040 ±.003	1	5.48
575-260	6-1/2	6-3/4	.04	.040 ±.003	1	5.74
575-261	6-3/4	7	.04	.040 ±.003	1	5.97
575-262	7	7-1/4	.04	.040 ±.003	1	6.09
575-263	7-1/4	7-1/2	.04	.040 ±.003	1	6.37
575-264	7-1/2	7-3/4	.04	.040 ±.003	1	6.81
575-265	7-3/4	8	.04	.040 ±.003	1	7.19
575-266	8	8-1/4	.04	.040 ±.003	1	8.35
575-267	8-1/4	8-1/2	.04	.040 ±.003	1	8.47
575-268	8-1/2	8-3/4	.04	.040 ±.003	1	8.68
575-269	8-3/4	9	.04	.040 ±.003	1	8.68
575-270	9	9-1/4	.04	.040 ±.003	1	8.93
575-271	9-1/4	9-1/2	.04	.040 ±.003	1	9.11
575-272	9-1/2	9-3/4	.04	.040 ±.003	1	9.21
575-273	9-3/4	10	.04	.040 ±.003	1	9.31
575-274	10	10-1/4	.04	.040 ±.003	1	9.37
575-275	10-1/2	10-3/4	.04	.040 ±.003	1	9.49
575-276	11	11-1/4	.04	.040 ±.003	1	9.57
575-278	12	12-1/4	.04	.040 ±.003	1	9.67
575-279	13	13-1/4	.04	.040 ±.003	1	9.71
.163" C/S						
575-6.165X0.163X0.062U	6.165	6.491	.062	.062 ±.004	1	\$16.75
3/16" C/S						
575-309	7/16	13/16	.055	.055 ±.004	10	\$0.99
575-310	1/2	7/8	.055	.055 ±.004	10	0.99
575-311	9/16	15/16	.055	.055 ±.004	10	0.99
575-312	5/8	1	.055	.055 ±.004	10	1.05
575-313	11/16	1-1/16	.055	.055 ±.004	10	1.05
575-314	3/4	1-1/8	.055	.055 ±.004	10	1.11
575-315	13/16	1-3/16	.055	.055 ±.004	10	1.11
575-316	7/8	1-1/4	.055	.055 ±.004	10	1.11
575-317	15/16	1-5/16	.055	.055 ±.004	10	1.11
575-318	1	1-3/8	.055	.055 ±.004	10	1.11
575-319	1-1/16	1-7/16	.055	.055 ±.004	10	1.11

STYLE 575 URETHANE BACK-UP RINGS

BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
575-320	1-1/8	1-1/2	.055	.055 ±.004	10	1.11
575-321	1-3/16	1-9/16	.055	.055 ±.004	10	1.11
575-322	1-1/4	1-5/8	.055	.055 ±.004	10	1.11
575-323	1-5/16	1-11/16	.055	.055 ±.004	10	1.21
575-324	1-3/8	1-3/4	.055	.055 ±.004	10	1.21
575-325	1-1/2	1-7/8	.055	.055 ±.004	10	1.21
575-326	1-5/8	2	.055	.055 ±.004	10	1.29
575-327	1-3/4	2-1/8	.055	.055 ±.004	10	1.29
575-328	1-7/8	2-1/4	.055	.055 ±.004	10	1.29
575-329	2	2-3/8	.055	.055 ±.004	10	1.29
575-330	2-1/8	2-1/2	.055	.055 ±.004	10	1.29
575-331	2-1/4	2-5/8	.055	.055 ±.004	10	1.29
575-332	2-3/8	2-3/4	.055	.055 ±.004	10	1.07
575-333	2-1/2	2-7/8	.055	.055 ±.004	10	1.31
575-334	2-5/8	3	.055	.055 ±.004	10	1.35
575-335	2-3/4	3-1/8	.055	.055 ±.004	10	1.46
575-336	2-7/8	3-1/4	.055	.055 ±.004	10	1.46
575-337	3	3-3/8	.055	.055 ±.004	10	1.55
575-338	3-1/8	3-1/2	.055	.055 ±.004	10	1.55
575-339	3-1/4	3-5/8	.055	.055 ±.004	10	1.64
575-340	3-3/8	3-3/4	.055	.055 ±.004	5	1.76
575-341	3-1/2	3-7/8	.055	.055 ±.004	5	1.76
575-342	3-5/8	4	.055	.055 ±.004	5	1.91
575-343	3-3/4	4-1/8	.055	.055 ±.004	5	2.14
575-344	3-7/8	4-1/4	.055	.055 ±.004	5	2.40
575-345	4	4-3/8	.055	.055 ±.004	5	2.59
575-346	4-1/8	4-1/2	.055	.055 ±.004	5	2.81
575-347	4-1/4	4-5/8	.055	.055 ±.004	5	2.93
575-348	4-3/8	4-3/4	.055	.055 ±.004	5	3.12
575-349	4-1/2	4-7/8	.055	.055 ±.004	5	3.22
575-350	4-5/8	5	.055	.055 ±.004	5	3.32
575-351	4-3/4	5-1/8	.055	.055 ±.004	1	3.72
575-352	4-7/8	5-1/4	.055	.055 ±.004	1	3.79
575-353	5	5-3/8	.055	.055 ±.004	1	3.83
575-354	5-1/8	5-1/2	.055	.055 ±.004	1	3.99
575-355	5-1/4	5-5/8	.055	.055 ±.004	1	4.23
575-356	5-3/8	5-3/4	.055	.055 ±.004	1	4.36
575-357	5-1/2	5-7/8	.055	.055 ±.004	1	4.80
575-358	5-5/8	6	.055	.055 ±.004	1	4.80
575-359	5-3/4	6-1/8	.055	.055 ±.004	1	5.05
575-360	5-7/8	6-1/4	.055	.055 ±.004	1	5.30
575-361	6	6-3/8	.055	.055 ±.004	1	5.65
575-362	6-1/4	6-5/8	.055	.055 ±.004	1	5.44
575-363	6-1/2	6-7/8	.055	.055 ±.004	1	5.65
575-364	6-3/4	7-1/8	.055	.055 ±.004	1	5.65
575-365	7	7-3/8	.055	.055 ±.004	1	5.65
575-366	7-1/4	7-5/8	.055	.055 ±.004	1	5.65
575-367	7-1/2	7-7/8	.055	.055 ±.004	1	5.65
575-368	7-3/4	8-1/8	.055	.055 ±.004	1	5.65
575-369	8	8-3/8	.055	.055 ±.004	1	5.76
575-370	8-1/4	8-5/8	.055	.055 ±.004	1	5.99
575-371	8-1/2	8-7/8	.055	.055 ±.004	1	5.76
575-372	8-3/4	9-1/8	.055	.055 ±.004	1	6.12
575-373	9	9-3/8	.055	.055 ±.004	1	6.12
575-374	9-1/4	9-5/8	.055	.055 ±.004	1	6.35
575-375	9-1/2	9-7/8	.055	.055 ±.004	1	6.35
575-376	9-3/4	10-1/8	.055	.055 ±.004	1	6.35


STYLE 575 URETHANE BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
575-377	10	10-3/8	.055	.055 ±.004	1	6.35
575-379	11	11-3/8	.055	.055 ±.004	1	7.42
575-381	12	12-3/8	.055	.055 ±.004	1	7.61
575-382	13	13-3/8	.055	.055 ±.004	1	7.83
575-383	14	14-3/8	.055	.055 ±.004	1	7.83
1/4" C/S						
575-421	4	4-1/2	.085	.085 ±.005	3	\$3.69
575-425	4-1/2	5	.085	.085 ±.005	3	3.32
575-426	4-5/8	5-1/8	.085	.085 ±.005	3	3.36
575-427	4-3/4	5-1/4	.085	.085 ±.005	1	4.27
575-428	4-7/8	5-3/8	.085	.085 ±.005	1	4.32
575-429	5	5-1/2	.085	.085 ±.005	1	4.32
575-430	5-1/8	5-5/8	.085	.085 ±.005	1	4.35
575-431	5-1/4	5-3/4	.085	.085 ±.005	1	4.43
575-432	5-3/8	5-7/8	.085	.085 ±.005	1	4.61
575-433	5-1/2	6	.085	.085 ±.005	1	4.82
575-434	5-5/8	6-1/8	.085	.085 ±.005	1	5.02
575-435	5-3/4	6-1/4	.085	.085 ±.005	1	5.21
575-436	5-7/8	6-3/8	.085	.085 ±.005	1	5.23
575-437	6	6-1/2	.085	.085 ±.005	1	5.38
575-438	6-1/4	6-3/4	.085	.085 ±.005	1	5.47
575-439	6-1/2	7	.085	.085 ±.005	1	5.62
575-440	6-3/4	7-1/4	.085	.085 ±.005	1	6.07
575-441	7	7-1/2	.085	.085 ±.005	1	6.35
575-442	7-1/4	7-3/4	.085	.085 ±.005	1	6.66
575-443	7-1/2	8	.085	.085 ±.005	1	7.88
575-444	7-3/4	8-1/4	.085	.085 ±.005	1	10.47
575-445	8	8-1/2	.085	.085 ±.005	1	10.13
575-446	8-1/2	9	.085	.085 ±.005	1	13.53
575-447	9	9-1/2	.085	.085 ±.005	1	14.07
575-448	9-1/2	10	.085	.085 ±.005	1	14.27
575-449	10	10-1/2	.085	.085 ±.005	1	14.27
575-450	10-1/2	11	.085	.085 ±.005	1	15.48
575-451	11	11-1/2	.085	.085 ±.005	1	15.48
575-452	11-1/2	12	.085	.085 ±.005	1	15.48
575-453	12	12-1/2	.085	.085 ±.005	1	15.48
575-454	12-1/2	13	.096	.096 ±.005	1	15.48
575-455	13	13-1/2	.085	.085 ±.005	1	15.48
575-456	13-1/2	14	.085	.085 ±.005	1	15.48
575-457	14	14-1/2	.085	.085 ±.005	1	8.59
575-460	15-1/2	16	.085	.085 ±.005	1	10.03

BACK-UP RINGS

STYLE 575 PTFE BACK-UP RINGS

Letter suffix: T = Solid, ST = Split, TS = Spiral Cut, TW = .085 Wide



HERCULES PART NUMBERS

575 - 004 ST
 Prefix Dash Number

SEAL INFORMATION

MATERIAL	PTFE
TEMPERATURE RANGE	-100° TO +500° F
PRESSURE RANGE	VARIABLE ACCORDING TO DIAMETRAL CLEARANCE

BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
1/16" C/S						
575-004ST	5/64	13/64	.05	.050 ^{+0.002} / _{-0.005}	6	\$2.05
575-005ST	3/32	7/32	.05	.050 ^{+0.002} / _{-0.005}	6	2.05
575-006ST	1/8	1/4	.05	.050 ^{+0.002} / _{-0.005}	6	2.05
575-007ST	5/32	9/32	.05	.050 ^{+0.002} / _{-0.005}	6	2.15
575-008ST	3/16	5/16	.05	.050 ^{+0.002} / _{-0.005}	6	2.15
575-009ST	7/32	11/32	.05	.050 ^{+0.002} / _{-0.005}	6	2.15
575-009T	7/32	11/32	.05	.050 ^{+0.002} / _{-0.005}	6	0.36
575-010ST	1/4	3/8	.05	.050 ^{+0.002} / _{-0.005}	12	1.02
575-010T	1/4	3/8	.05	.050 ^{+0.002} / _{-0.005}	6	1.22
575-011ST	5/16	7/16	.05	.050 ^{+0.002} / _{-0.005}	6	2.25
575-011T	5/16	7/16	.05	.050 ^{+0.002} / _{-0.005}	1	2.40
575-012ST	3/8	1/2	.05	.050 ^{+0.002} / _{-0.005}	10	2.25
575-013ST	7/16	9/16	.05	.050 ^{+0.002} / _{-0.005}	6	2.25
575-014ST	1/2	5/8	.05	.050 ^{+0.002} / _{-0.005}	6	2.31
575-015ST	9/16	11/16	.05	.050 ^{+0.002} / _{-0.005}	6	2.31
575-016ST	5/8	3/4	.05	.050 ^{+0.002} / _{-0.005}	10	1.26
575-017ST	11/16	13/16	.05	.050 ^{+0.002} / _{-0.005}	5	2.42
575-018ST	3/4	7/8	.05	.050 ^{+0.002} / _{-0.005}	5	2.48
575-018T	3/4	7/8	.05	.050 ^{+0.002} / _{-0.005}	5	0.58
575-019ST	13/16	15/16	.05	.050 ^{+0.002} / _{-0.005}	5	2.48
575-020ST	7/8	1	.05	.050 ^{+0.002} / _{-0.005}	5	2.53
575-020T	7/8	1	.05	.050 ^{+0.002} / _{-0.005}	5	2.70
575-021ST	15/16	1-1/16	.05	.050 ^{+0.002} / _{-0.005}	5	2.53
575-022ST	1	1-1/8	.05	.050 ^{+0.002} / _{-0.005}	5	2.53

STYLE 575 PTFE BACK-UP RINGS

BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
575-022T	1	1-1/8	.05	.050 ^{+0.002} / _{-.005}	5	2.70
575-023ST	1-1/16	1-3/16	.05	.050 ^{+0.002} / _{-.005}	5	2.53
575-024ST	1-1/8	1-1/4	.05	.050 ^{+0.002} / _{-.005}	5	2.67
575-025ST	1-3/16	1-5/16	.05	.050 ^{+0.002} / _{-.005}	5	2.67
575-026ST	1-1/4	1-3/8	.05	.050 ^{+0.002} / _{-.005}	4	2.94
575-026T	1-1/4	1-3/8	.05	.050 ^{+0.002} / _{-.005}	4	3.14
575-027ST	1-5/16	1-7/16	.05	.050 ^{+0.002} / _{-.005}	4	3.39
575-028ST	1-3/8	1-1/2	.05	.050 ^{+0.002} / _{-.005}	4	3.53
575-029ST	1-1/2	1-5/8	.05	.050 ^{+0.002} / _{-.005}	3	3.50
575-029T	1-1/2	1-5/8	.05	.050 ^{+0.002} / _{-.005}	3	11.66
575-030ST	1-5/8	1-3/4	.05	.050 ^{+0.002} / _{-.005}	3	4.45
575-031T	1-3/4	1-7/8	.05	.050 ^{+0.002} / _{-.005}	2	8.66
575-032T	1-7/8	2	.05	.050 ^{+0.002} / _{-.005}	2	8.66
575-033ST	2	2-1/8	.05	.050 ^{+0.002} / _{-.005}	2	8.08
575-033T	2	2-1/8	.05	.050 ^{+0.002} / _{-.005}	2	8.66
575-034T	2-1/8	2-1/4	.05	.050 ^{+0.002} / _{-.005}	2	8.66
575-036T	2-3/8	2-1/2	.05	.050 ^{+0.002} / _{-.005}	2	8.66
575-037T	2-1/2	2-5/8	.05	.050 ^{+0.002} / _{-.005}	2	8.66
575-038ST	2-5/8	2-3/4	.05	.050 ^{+0.002} / _{-.005}	1	4.48
575-038T	2-5/8	2-3/4	.05	.050 ^{+0.002} / _{-.005}	2	8.66
575-039T	2-3/4	2-7/8	.05	.050 ^{+0.002} / _{-.005}	2	8.66
575-041T	3	3-1/8	.05	.050 ^{+0.002} / _{-.005}	2	10.94
575-044T	3-3/4	3-7/8	.05	.050 ^{+0.002} / _{-.005}	2	18.75
575-045T	4	4-1/8	.05	.050 ^{+0.002} / _{-.005}	2	14.53
3/32" C/S						
575-110ST	3/8	9/16	.05	.050 ^{+0.002} / _{-.005}	6	\$2.28
575-111ST	7/16	5/8	.05	.050 ^{+0.002} / _{-.005}	5	2.42
575-111T	7/16	5/8	.05	.050 ^{+0.002} / _{-.005}	1	0.32
575-112ST	1/2	11/16	.05	.050 ^{+0.002} / _{-.005}	5	2.56
575-112T	1/2	11/16	.05	.050 ^{+0.002} / _{-.005}	5	2.73
575-112TS	1/2	11/16	.05	.050 ^{+0.002} / _{-.005}	5	5.54
575-113ST	9/16	3/4	.05	.050 ^{+0.002} / _{-.005}	5	2.81
575-114ST	5/8	13/16	.05	.050 ^{+0.002} / _{-.005}	4	2.94
575-114T	5/8	13/16	.05	.050 ^{+0.002} / _{-.005}	5	3.14

STYLE 575 PTFE BACK-UP RINGS

BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
575-115ST	11/16	7/8	.05	.050 ^{+0.002} / _{-0.005}	4	3.13
575-116ST	3/4	15/16	.05	.050 ^{+0.002} / _{-0.005}	8	3.13
575-116T	3/4	15/16	.05	.050 ^{+0.002} / _{-0.005}	4	3.47
575-116TS	3/4	15/16	.05	.050 ^{+0.002} / _{-0.005}	5	6.19
575-117ST	13/16	1	.05	.050 ^{+0.002} / _{-0.005}	4	3.23
575-117T	13/16	1	.05	.050 ^{+0.002} / _{-0.005}	4	3.47
575-118ST	7/8	1-1/16	.05	.050 ^{+0.002} / _{-0.005}	4	3.65
575-118T	7/8	1-1/16	.05	.050 ^{+0.002} / _{-0.005}	4	3.92
575-118TS	7/8	1-1/16	.05	.050 ^{+0.002} / _{-0.005}	4	3.92
575-119ST	15/16	1-1/8	.05	.050 ^{+0.002} / _{-0.005}	10	3.91
575-119T	15/16	1-1/8	.05	.050 ^{+0.002} / _{-0.005}	3	4.18
575-120ST	1	1-3/16	.05	.050 ^{+0.002} / _{-0.005}	3	3.96
575-120T	1	1-3/16	.05	.050 ^{+0.002} / _{-0.005}	3	4.26
575-121ST	1-1/16	1-1/4	.05	.050 ^{+0.002} / _{-0.005}	3	3.96
575-122ST	1-1/8	1-5/16	.05	.050 ^{+0.002} / _{-0.005}	3	3.96
575-122T	1-1/8	1-5/16	.05	.050 ^{+0.002} / _{-0.005}	3	4.32
575-123ST	1-3/16	1-3/8	.05	.050 ^{+0.002} / _{-0.005}	6	4.30
575-123T	1-3/16	1-3/8	.05	.050 ^{+0.002} / _{-0.005}	6	4.30
575-124ST	1-1/4	1-7/16	.05	.050 ^{+0.002} / _{-0.005}	6	4.30
575-125ST	1-5/16	1-1/2	.05	.050 ^{+0.002} / _{-0.005}	6	4.36
575-125T	1-5/16	1-1/2	.05	.050 ^{+0.002} / _{-0.005}	6	4.36
575-126ST	1-3/8	1-9/16	.05	.050 ^{+0.002} / _{-0.005}	3	4.36
575-126T	1-3/8	1-9/16	.05	.050 ^{+0.002} / _{-0.005}	1	6.26
575-127ST	1-7/16	1-5/8	.05	.050 ^{+0.002} / _{-0.005}	3	4.36
575-128ST	1-1/2	1-11/16	.05	.050 ^{+0.002} / _{-0.005}	3	4.48
575-129ST	1-9/16	1-3/4	.05	.050 ^{+0.002} / _{-0.005}	3	4.57
575-130ST	1-5/8	1-13/16	.05	.050 ^{+0.002} / _{-0.005}	3	4.69
575-131ST	1-11/16	1-7/8	.05	.050 ^{+0.002} / _{-0.005}	3	4.69
575-131T	1-11/16	1-7/8	.05	.050 ^{+0.002} / _{-0.005}	3	2.44
575-132ST	1-3/4	1-15/16	.05	.050 ^{+0.002} / _{-0.005}	3	4.90
575-133ST	1-13/16	2	.05	.050 ^{+0.002} / _{-0.005}	3	4.90
575-133T	1-13/16	2	.05	.050 ^{+0.002} / _{-0.005}	1	1.88
575-134ST	1-7/8	2-1/16	.05	.050 ^{+0.002} / _{-0.005}	3	5.23
575-134TS	1-7/8	2-1/16	.05	.050 ^{+0.002} / _{-0.005}	1	10.10
575-135ST	1-15/16	2-1/8	.05	.050 ^{+0.002} / _{-0.005}	3	5.37

STYLE 575 PTFE BACK-UP RINGS

BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
575-136ST	2	2-3/16	.05	.050 ^{+0.002} / _{-0.005}	3	5.66
575-137ST	2-1/16	2-1/4	.05	.050 ^{+0.002} / _{-0.005}	3	5.93
575-138ST	2-1/8	2-5/16	.05	.050 ^{+0.002} / _{-0.005}	2	6.45
575-139T	2-3/16	2-3/8	.05	.050 ^{+0.002} / _{-0.005}	2	7.40
575-139TS	2-3/16	2-3/8	.05		1	12.16
575-140T	2-1/4	2-7/16	.05	.050 ±0.002	2	7.40
575-140TS	2-1/4	2-7/16	.05		1	13.32
575-141T	2-5/16	2-1/2	.05	.050 ±0.002	2	7.82
575-143ST	2-7/16	2-5/8	.05	.050 ^{+0.002} / _{-0.005}	2	1.36
575-144ST	2-1/2	2-11/16	.05	.050 ^{+0.002} / _{-0.005}	2	7.96
575-146T	2-5/8	2-13/16	.05	.050 ±0.002	2	8.77
575-148T	2-3/4	2-15/16	.05	.050 ±0.002	2	9.23
575-149T	2-13/16	3	.05	.050 ±0.002	2	9.69
575-152T	3-1/4	3-7/16	.05	.050 ^{+0.002} / _{-0.005}	2	10.42
575-153TS	3-1/2	3-11/16	.55		1	20.26
575-159T	5	5-3/16	.05	.050 ^{+0.002} / _{-0.005}	1	30.75
1/8" C/S						
575-206ST	1/2	3/4	.05	.050 ^{+0.002} / _{-0.005}	6	\$1.34
575-210ST	3/4	1	.05	.050 ^{+0.002} / _{-0.005}	4	2.94
575-210T	3/4	1	.05	.050 ^{+0.002} / _{-0.005}	4	3.14
575-211ST	13/16	1-1/16	.05	.050 ^{+0.002} / _{-0.005}	6	3.23
575-212ST	7/8	1-1/8	.05	.050 ^{+0.002} / _{-0.005}	4	3.38
575-212T	7/8	1-1/8	.05	.050 ^{+0.002} / _{-0.005}	2	3.47
575-212TS	7/8	1-1/8	.05		1	7.51
575-212TW	7/8	1-1/8	.085	.085 ±0.005	1	13.12
575-213ST	15/16	1-3/16	.05	.050 ^{+0.002} / _{-0.005}	4	3.38
575-214ST	1	1-1/4	.05	.050 ^{+0.002} / _{-0.005}	4	3.39
575-214T	1	1-1/4	.05	.050 ^{+0.002} / _{-0.005}	6	2.12
575-215ST	1-1/16	1-5/16	.05	.050 ^{+0.002} / _{-0.005}	4	3.39
575-216ST	1-1/8	1-3/8	.05	.050 ^{+0.002} / _{-0.005}	4	3.39
575-217ST	1-3/16	1-7/16	.05	.050 ^{+0.002} / _{-0.005}	4	3.78
575-218ST	1-1/4	1-1/2	.05	.050 ^{+0.002} / _{-0.005}	5	4.14
575-218T	1-1/4	1-1/2	.05	.050 ^{+0.002} / _{-0.005}	5	2.92
575-218TS	1-1/4	1-1/2	.05		5	4.57
575-219ST	1-5/16	1-9/16	.05	.050 ^{+0.002} / _{-0.005}	3	4.14
575-219T	1-5/16	1-9/16	.05	.050 ^{+0.002} / _{-0.005}	1	4.94
575-220ST	1-3/8	1-5/8	.05	.050 ^{+0.002} / _{-0.005}	3	4.30
575-220T	1-3/8	1-5/8	.05	.050 ^{+0.002} / _{-0.005}	2	2.72
575-220TS	1-3/8	1-5/8	.05		1	6.72

STYLE 575 PTFE BACK-UP RINGS

BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
575-221ST	1-7/16	1-11/16	.05	.050 ^{+0.002} / _{-.005}	3	4.30
575-221T	1-7/16	1-11/16	.05	.050 ^{+0.002} / _{-.005}	3	4.60
575-222ST	1-1/2	1-3/4	.05	.050 ^{+0.002} / _{-.005}	3	4.57
575-222TS	1-1/2	1-3/4	.05		3	6.08
575-223T	1-5/8	1-7/8	.05	.050 ^{+0.002} / _{-.005}	2	5.36
575-223TS	1-5/8	1-7/8	.05		1	6.30
575-224ST	1-3/4	2	.05	.050 ^{+0.002} / _{-.005}	3	4.98
575-224T	1-3/4	2	.05	.050 ^{+0.002} / _{-.005}	3	4.58
575-224TS	1-3/4	2	.05		1	9.67
575-225ST	1-7/8	2-1/8	.05	.050 ^{+0.002} / _{-.005}	3	5.18
575-226ST	2	2-1/4	.05	.050 ^{+0.002} / _{-.005}	5	5.18
575-226TS	2	2-1/4	.05		2	6.30
575-227ST	2-1/8	2-3/8	.05	.050 ^{+0.002} / _{-.005}	3	5.51
575-228ST	2-1/4	2-1/2	.05	.050 ^{+0.002} / _{-.005}	2	6.09
575-229ST	2-3/8	2-5/8	.05	.050 ^{+0.002} / _{-.005}	2	6.78
575-230ST	2-1/2	2-3/4	.05	.050 ^{+0.002} / _{-.005}	2	6.99
575-230T	2-1/2	2-3/4	.05	.050 ^{+0.002} / _{-.005}	2	7.65
575-231T	2-5/8	2-7/8	.05	.050 ^{+0.002} / _{-.005}	2	7.65
575-232T	2-3/4	3	.05	.050 ^{+0.002} / _{-.005}	2	7.82
575-232TS	2-3/4	3	.05		2	10.75
575-232TW	2-3/4	3	.085	.085 ^{+0.005} / _{±0.002}	1	14.27
575-233T	2-7/8	3-1/8	.05	.050 ^{+0.002} / _{±0.002}	2	8.10
575-234T	3	3-1/4	.05	.050 ^{+0.002} / _{±0.002}	2	8.60
575-235ST	3-1/8	3-3/8	.05	.050 ^{+0.002} / _{-.005}	2	9.81
575-235T	3-1/8	3-3/8	.05	.050 ^{+0.002} / _{±0.002}	2	8.66
575-236T	3-1/4	3-1/2	.05	.050 ^{+0.002} / _{±0.002}	2	9.04
575-237T	3-3/8	3-5/8	.05	.050 ^{+0.002} / _{±0.002}	2	9.57
575-238T	3-1/2	3-3/4	.05	.050 ^{+0.002} / _{±0.002}	2	10.12
575-239ST	3-5/8	3-7/8	.05	.050 ^{+0.002} / _{-.005}	2	10.13
575-239T	3-5/8	3-7/8	.05	.050 ^{+0.002} / _{±0.002}	2	10.85
575-240T	3-3/4	4	.05	.050 ^{+0.002} / _{±0.002}	2	16.02
575-240TS	3-3/4	4	.05		2	11.99
575-241ST	3-7/8	4-1/8	.05	.050 ^{+0.002} / _{-.005}	2	10.13
575-242T	4	4-1/4	.05	.050 ^{+0.002} / _{±0.002}	2	11.26
575-243ST	4-1/8	4-3/8	.05	.050 ^{+0.002} / _{-.005}	2	11.64
575-244T	4-1/4	4-1/2	.05	.050 ^{+0.002} / _{±0.002}	1	11.26
575-245ST	4-3/8	4-5/8	.05	.050 ^{+0.002} / _{±0.002}	1	10.99
575-245T	4-3/8	4-5/8	.05	.050 ^{+0.002} / _{±0.002}	2	11.26
575-246T	4-1/2	4-3/4	.05	.050 ^{+0.002} / _{±0.002}	1	11.60
575-246TS	4-1/2	4-3/4	.055			3.70
575-247T	4-5/8	4-7/8	.05	.050 ^{+0.002} / _{±0.002}	2	11.99
575-248T	4-3/4	5	.05	.050 ^{+0.002} / _{-.005}	2	12.42
575-249ST	4-7/8	5-1/8	.05	.050 ^{+0.002} / _{-.005}	1	12.55

STYLE 575 PTFE BACK-UP RINGS

BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
575-249T	4-7/8	5-1/8	.05	.050 ^{+0.002} / _{-0.005}	1	13.45
575-250T	5	5-1/4	.05	.050 ^{+0.002} / _{-0.005}	1	14.60
575-252T	5-1/4	5-1/2	.05	.050 ^{+0.002} / _{-0.005}	1	15.44
575-253T	5-3/8	5-5/8	.05	.050 ^{+0.002} / _{-0.005}	1	15.58
575-254T	5-1/2	5-3/4	.05	.050 ^{+0.002} / _{-0.005}	1	16.38
575-256T	5-3/4	6	.05	.050 ^{+0.002} / _{-0.005}	1	18.19
575-258T	6	6-1/4	.05	.050 ^{+0.002} / _{-0.005}	1	20.02
575-260T	6-1/2	6-3/4	.05	.050 ^{+0.002} / _{-0.005}	1	21.98
575-261T	6-3/4	7	.05	.050 ^{+0.002} / _{-0.005}	1	26.09
575-262TS	7	7-1/4	.05		1	25.30
575-263ST	7-1/4	7-1/2	.05	.050 ^{+0.002} / _{-0.005}	1	33.67
3/16" C/S						
575-320T	1-1/8	1-1/2	.07	.070 ±0.005	2	\$9.80
575-325ST	1-1/2	1-7/8	.07	.070 ±0.005	2	8.62
575-325T	1-1/2	1-7/8	.07	.070 ±0.005	2	8.34
575-326ST	1-5/8	2	.07	.070 ±0.005	2	8.62
575-326T	1-5/8	2	.07	.070 ±0.005	1	8.67
575-327ST	1-3/4	2-1/8	.07	.070 ±0.005	2	9.81
575-328ST	1-7/8	2-1/4	.07	.070 ±0.005	2	6.40
575-329ST	2	2-3/8	.07	.070 ±0.005	1	10.31
575-330ST	2-1/8	2-1/2	.07	.070 ±0.005	2	10.39
575-330T	2-1/8	2-1/2	.07	.070 ±0.005	2	11.13
575-332TS	2-3/8	2-3/4	.07	.036 ^{+0.000} / _{-0.005}	1	9.09
575-333ST	2-1/2	2-7/8	.07	.070 ±0.005	2	11.31
575-333T	2-1/2	2-7/8	.07	.070 ±0.005	2	12.10
575-333TS	2-1/2	2-7/8	.07	.036 ^{+0.000} / _{-0.005}	1	10.42
575-334ST	2-5/8	3	.07	.070 ±0.005	2	11.56
575-334TS	2-5/8	3	.07		1	12.39
575-335T	2-3/4	3-1/8	.07	.070 ±0.005	1	13.38
575-336ST	2-7/8	3-1/4	.07	.070 ±0.005	1	12.72
575-337TS	3	3-3/8	.07	.036 ^{+0.000} / _{-0.005}	1	12.54
575-338ST	3-1/8	3-1/2	.07	.070 ±0.005	1	12.98
575-338T	3-1/8	3-1/2	.07	.070 ±0.005	1	9.19
575-338TS	3-1/8	3-1/2	.07	.036 ^{+0.000} / _{-0.005}	1	12.84
575-340ST	3-3/8	3-3/4	.07	.070 ±0.005	1	13.21
575-340TS	3-3/8	3-3/4	.07		1	14.16
575-341ST	3-1/2	3-7/8	.07	.070 ±0.005	1	13.73
575-342ST	3-5/8	4	.07	.070 ±0.005	1	14.07
575-344ST	3-7/8	4-1/4	.07	.070 ±0.005	1	16.17
575-344TS	3-7/8	4-1/4	.07	.036 ^{+0.000} / _{-0.005}	1	14.05
575-345ST	4	4-3/8	.07	.070 ±0.005	2	8.14
575-345TS	4	4-3/8	.07		1	20.98
575-346ST	4-1/8	4-1/2	.07	.070 ±0.005	1	18.20
575-346TS	4-1/8	4-1/2	.07	.036 ^{+0.000} / _{-0.005}	1	14.43
575-348TS	4-3/8	4-3/4	.07	.036 ^{+0.000} / _{-0.005}	1	21.42

STYLE 575 PTFE BACK-UP RINGS

BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
575-349T	4-1/2	4-7/8	.07	.070 ±.005	1	13.89
575-349TS	4-1/2	4-7/8	.07		1	15.58
575-350ST	4-5/8	5	.07	.070 ±.005	1	20.43
575-354ST	5-1/8	5-1/2	.07	.070 ±.005	1	20.92
575-356ST	5-3/8	5-3/4	.07	.070 ±.005	1	30.07
575-359T	5-3/4	6-1/8	.07	.070 ±.005	1	23.66
575-360T	5-7/8	6-1/4	.07	.070 ±.005	1	22.94
575-361T	6	6-3/8	.07	.070 ±.005	1	29.03
575-362ST	6-1/4	6-5/8	.07	.070 ±.005	1	32.04
575-363T	6-1/2	6-7/8	.07	.070 ±.005	1	33.18
575-363TS	6-1/2	6-7/8	.07		1	27.51
575-364T	6-3/4	7-1/8	.07	.070 ±.005	1	26.44
575-365T	7	7-3/8	.07	.070 ±.005	1	27.25
575-367ST	7-1/2	7-7/8	.07	.070 ±.005	1	34.03
575-369ST	8	8-3/8	.07	.070 ±.005	1	36.59
575-375T	9-1/2	9-7/8	.07	.070 ±.005	1	41.79
575-379T	11	11-3/8	.07	.070 ±.005	1	51.73
1/4" C/S						
575-413ST	3	3-1/2	.108	.108 ±.002	1	\$29.91
575-421T	4	4-1/2	.108	.108 ±.002	1	27.02
575-425ST	4-1/2	5	.108	.108 ±.002	1	25.59
575-426ST	4-5/8	5-1/8	.108	.108 ±.002	1	20.48
575-427ST	4-3/4	5-1/4	.108	.108 ±.002	1	25.82
575-430ST	5-1/8	5-5/8	.108	.108 ±.002	1	30.16
575-431T	5-1/4	5-3/4	.108	.105 ±.005	1	34.38
575-433ST	5-1/2	6	.108	.108 ±.002	1	37.67
575-436ST	5-7/8	6-3/8	.108	.108 ±.002	1	41.05
575-437T	6	6-1/2	.108	.105 ±.005	1	44.98
575-438T	6-1/4	6-3/4	.108	.108 ±.002	1	46.73
575-439T	6-1/2	7	.108	.108 ±.002	1	46.62
575-440ST	6-3/4	7-1/4	.108	.108 ±.002	1	44.82
575-443T	7-1/2	8	.108	.108 ±.002	1	51.46
575-445TS	8	8-1/2	.108		1	52.20
575-446T	8-1/2	9	.108	.108 ±.002	1	80.84
575-447T	9	9-1/2	.108	.108 ±.002	1	70.75
575-448T	9-1/2	10	.108	.108 ±.002	1	63.46
575-450T	10-1/2	11	.108	.108 ±.002	1	74.41
575-451T	11	11-1/2	.108	.108 ±.002	1	80.76
575-452T	11-1/2	12	.108	.108 ±.002	1	84.53
575-454T	12-1/2	13	.108	.108 ±.002	1	89.38

STYLE 575 PTFE BACK-UP RINGS - SPECIAL SIZES

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	Nom. Cross Section	th THICKNESS	Package Quantity	List Price
575-1-3/16X1-1/2T	1-3/16	1-1/2	1/16	5/32	.062	1	\$8.77
575-1.67X1.88X0.05T	1.674	1.88	.055	.103	.055 ±.002	1	24.57
575-2.4X2.6X.06ST	2.457	2.687	1/16	.115	.060	1	8.99
575-2.7X2.9X.06ST	2.707	2.937	1/16	.115	.060	1	9.49
575-5X0.128X0.29BT	5	5.59	.128	.29	.128	1	24.47
575-5.5X6.12T	5-1/2	6-1/8	1/16	5/16	.062	1	28.88
575-6.12X7ST	6-1/8	7	1/8	7/16	.125	1	58.04
575-6.66X7.00X0.08T	6.666	7	.08	.167	.080 ±.005	1	37.98
575-7X8T	7	8	1/8	1/2	.125	1	53.22
575-7.75X8.75X.125T	7-3/4	8-3/4	1/8	1/2	.125	1	78.83
575-9X10T	9	10	1/8	1/2	.125	1	82.30
575-13X14T	13	14	9/64	1/2	.140	1	119.30