


# STYLE 580, SQUARE BUNA-N O-RINGS



SEAL INFORMATION	
MATERIAL	BUNA-N RUBBER
TEMPERATURE RANGE	-40° TO +240° F
PRESSURE RANGE	VARIABLE ACCORDING TO DIAMETRICAL CLEARANCE
SPEED	3 FT/SEC

Part Number	A Nom. ID	B Nom. OD	INSIDE DIAMETER	C HEIGHT	CROSS SECTION	Package Quantity	List Price
<b>1/16" C/S</b>							
580-008	3/16	5/16	.176 ±.005	.066 ±.005	.066 ±.005	10	\$0.91
580-012	3/8	1/2	.364 ±.005	.066 ±.005	.066 ±.005	50	0.27
580-014	1/2	5/8	.489 ±.005	.066 ±.005	.066 ±.005	38	0.25
580-015	9/16	11/16	.551 ±.007	.066 ±.005	.066 ±.005	50	0.25
580-016	5/8	3/4	.614 ±.009	.066 ±.005	.066 ±.005	38	0.25
580-017	11/16	13/16	.676 ±.009	.066 ±.005	.066 ±.005	30	0.29
580-019	13/16	15/16	.801 ±.009	.066 ±.005	.066 ±.005	30	0.30
580-021	15/16	1-1/16	.926 ±.009	.066 ±.005	.066 ±.005	25	0.33
580-022	1	1-1/8	.989 ±.010	.066 ±.005	.066 ±.005	29	0.33
580-025	1-3/16	1-5/16	1.176 ±.011	.066 ±.005	.066 ±.005	25	0.37
580-026	1-1/4	1-3/8	1.239 ±.011	.066 ±.005	.066 ±.005	24	0.37
580-028	1-3/8	1-1/2	1.364 ±.013	.066 ±.005	.066 ±.005	25	0.37
580-029	1-1/2	1-5/8	1.489 ±.013	.066 ±.005	.066 ±.005	25	0.37
580-032	1-7/8	2	1.864 ±.015	.066 ±.005	.066 ±.005	15	0.69
580-033	2	2-1/8	1.989 ±.018	.066 ±.005	.066 ±.005	15	0.69
580-034	2-1/8	2-1/4	2.114 ±.018	.066 ±.005	.066 ±.005	15	0.69
580-035	2-1/4	2-3/8	2.239 ±.018	.066 ±.005	.066 ±.005	15	0.79
580-036	2-3/8	2-1/2	2.364 ±.018	.066 ±.005	.066 ±.005	13	0.79
580-037	2-1/2	2-5/8	2.489 ±.018	.066 ±.005	.066 ±.005	13	0.79
580-038	2-5/8	2-3/4	2.614 ±.020	.066 ±.005	.066 ±.005	13	0.79
580-039	2-3/4	2-7/8	2.739 ±.020	.066 ±.005	.066 ±.005	12	0.82
580-040	2-7/8	3	2.864 ±.020	.066 ±.005	.066 ±.005	12	0.88
580-041	3	3-1/8	2.989 ±.024	.066 ±.005	.066 ±.005	9	1.05
580-042	3-1/4	3-3/8	3.239 ±.024	.066 ±.005	.066 ±.005	9	1.05
580-043	3-1/2	3-5/8	3.489 ±.024	.066 ±.005	.066 ±.005	9	1.10
580-044	3-3/4	3-7/8	3.739 ±.027	.066 ±.005	.066 ±.005	9	1.10
580-045	4	4-1/8	3.989 ±.027	.066 ±.005	.066 ±.005	8	1.25
580-046	4-1/4	4-3/8	4.239 ±.030	.066 ±.005	.066 ±.005	7	1.39
580-047	4-1/2	4-5/8	4.489 ±.030	.066 ±.005	.066 ±.005	7	1.48
<b>3/32" C/S</b>							
580-110	3/8	9/16	.362 ±.005	.099 ±.005	.099 ±.005	23	\$0.37
580-113	9/16	3/4	.549 ±.005	.099 ±.005	.099 ±.005	13	0.72
580-115	11/16	7/8	.674 ±.009	.099 ±.005	.099 ±.005	14	0.72
580-116	3/4	15/16	.737 ±.009	.099 ±.005	.099 ±.005	35	0.55
580-117	13/16	1	.799 ±.010	.099 ±.005	.099 ±.005	30	0.32
580-118	7/8	1-1/16	.862 ±.010	.099 ±.005	.099 ±.005	30	0.30
580-119	15/16	1-1/8	.924 ±.010	.099 ±.005	.099 ±.005	13	0.33
580-120	1	1-3/16	.987 ±.010	.099 ±.005	.099 ±.005	27	0.34
580-121	1-1/16	1-1/4	1.049 ±.010	.099 ±.005	.099 ±.005	25	0.34
580-122	1-1/8	1-5/16	1.112 ±.010	.099 ±.005	.099 ±.005	25	0.69

# STYLE 580, SQUARE BUNA-N O-RINGS

O-RINGS

Part Number	A Nom. ID	B Nom. OD	INSIDE DIAMETER	C HEIGHT	CROSS SECTION	Package Quantity	List Price
580-123	1-3/16	1-3/8	1.174 ±0.012	.099 ±0.005	.099 ±0.005	12	0.82
580-124	1-1/4	1-7/16	1.237 ±0.012	.099 ±0.005	.099 ±0.005	12	0.88
580-125	1-5/16	1-1/2	1.299 ±0.012	.099 ±0.005	.099 ±0.005	12	0.88
580-125-90D	1-5/16	1-1/2	1.299 ±0.012	.099 ±0.005	.099 ±0.005	5	2.36
580-126	1-3/8	1-9/16	1.362 ±0.012	.099 ±0.005	.099 ±0.005	27	0.88
580-127	1-7/16	1-5/8	1.424 ±0.012	.099 ±0.005	.099 ±0.005	12	0.88
580-128	1-1/2	1-11/16	1.487 ±0.012	.099 ±0.005	.099 ±0.005	12	0.88
580-129	1-9/16	1-3/4	1.549 ±0.015	.099 ±0.005	.099 ±0.005	12	0.88
580-130	1-5/8	1-13/16	1.612 ±0.015	.099 ±0.005	.099 ±0.005	12	0.88
580-131	1-11/16	1-7/8	1.674 ±0.015	.099 ±0.005	.099 ±0.005	12	0.88
580-132	1-3/4	1-15/16	1.737 ±0.015	.099 ±0.005	.099 ±0.005	11	0.92
580-133	1-13/16	2	1.799 ±0.015	.099 ±0.005	.099 ±0.005	11	0.92
580-134	1-7/8	2-1/16	1.862 ±0.015	.099 ±0.005	.099 ±0.005	11	0.92
580-135	1-15/16	2-1/8	1.925 ±0.017	.099 ±0.005	.099 ±0.005	11	0.92
580-136	2	2-3/16	1.987 ±0.017	.099 ±0.005	.099 ±0.005	11	0.92
580-137	2-1/16	2-1/4	2.050 ±0.017	.099 ±0.005	.099 ±0.005	11	0.92
580-138	2-1/8	2-5/16	2.112 ±0.017	.099 ±0.005	.099 ±0.005	11	0.92
580-139	2-3/16	2-3/8	2.175 ±0.017	.099 ±0.005	.099 ±0.005	11	0.92
580-140	2-1/4	2-7/16	2.237 ±0.017	.099 ±0.005	.099 ±0.005	11	0.92
580-141	2-5/16	2-1/2	2.300 ±0.020	.099 ±0.005	.099 ±0.005	11	0.92
580-142	2-3/8	2-9/16	2.362 ±0.020	.099 ±0.005	.099 ±0.005	11	0.92
580-143	2-7/16	2-5/8	2.425 ±0.020	.099 ±0.005	.099 ±0.005	11	0.92
580-144	2-1/2	2-11/16	2.487 ±0.020	.099 ±0.005	.099 ±0.005	11	0.92
580-145	2-9/16	2-3/4	2.550 ±0.020	.099 ±0.005	.099 ±0.005	11	0.92
580-146	2-5/8	2-13/16	2.612 ±0.020	.099 ±0.005	.099 ±0.005	11	0.92
580-147	2-11/16	2-7/8	2.675 ±0.022	.099 ±0.005	.099 ±0.005	10	0.98
580-148	2-3/4	2-15/16	2.737 ±0.022	.099 ±0.005	.099 ±0.005	10	0.98
580-149	2-13/16	3	2.800 ±0.022	.099 ±0.005	.099 ±0.005	10	0.98
580-150	2-7/8	3-1/16	2.862 ±0.022	.099 ±0.005	.099 ±0.005	10	0.98
580-151	3	3-3/16	2.987 ±0.024	.099 ±0.005	.099 ±0.005	10	1.00
580-152	3-1/4	3-7/16	3.237 ±0.024	.099 ±0.005	.099 ±0.005	10	1.00
580-153	3-1/2	3-11/16	3.487 ±0.024	.099 ±0.005	.099 ±0.005	9	1.05
580-154	3-3/4	3-15/16	3.737 ±0.028	.099 ±0.005	.099 ±0.005	9	1.10
580-155	4	4-3/16	3.987 ±0.028	.099 ±0.005	.099 ±0.005	7	1.39
580-156	4-1/4	4-7/16	4.237 ±0.030	.099 ±0.005	.099 ±0.005	6	1.68
580-157	4-1/2	4-11/16	4.487 ±0.030	.099 ±0.005	.099 ±0.005	5	2.05
580-158	4-3/4	4-15/16	4.737 ±0.030	.099 ±0.005	.099 ±0.005	5	2.23
580-159	5	5-3/16	4.987 ±0.035	.099 ±0.005	.099 ±0.005	4	2.43
580-160	5-1/4	5-7/16	5.237 ±0.035	.099 ±0.005	.099 ±0.005	4	2.59
580-161	5-1/2	5-11/16	5.487 ±0.035	.099 ±0.005	.099 ±0.005	4	2.90
580-163	6	6-3/16	5.987 ±0.035	.099 ±0.005	.099 ±0.005	3	3.28
580-164	6-1/4	6-7/16	6.237 ±0.040	.099 ±0.005	.099 ±0.005	3	3.38
580-170	7-3/4	7-15/16	7.737 ±0.045	.099 ±0.005	.099 ±0.005	3	3.85
<b>1/8" C/S</b>							
580-206	1/2	3/4	.484 ±0.005	.134 ±0.005	.134 ±0.005	15	\$0.48
580-209	11/16	15/16	.671 ±0.009	.134 ±0.005	.134 ±0.005	15	0.48
580-210	3/4	1	.734 ±0.010	.134 ±0.005	.134 ±0.005	15	0.48
580-211	13/16	1-1/16	.796 ±0.010	.134 ±0.005	.134 ±0.005	15	0.51
580-213	15/16	1-3/16	.921 ±0.010	.134 ±0.005	.134 ±0.005	15	0.51
580-214	1	1-1/4	.984 ±0.010	.134 ±0.005	.134 ±0.005	15	0.51
580-215	1-1/16	1-5/16	1.046 ±0.010	.134 ±0.005	.134 ±0.005	15	0.51
580-216	1-1/8	1-3/8	1.109 ±0.012	.134 ±0.005	.134 ±0.005	15	0.51
580-217	1-3/16	1-7/16	1.171 ±0.012	.134 ±0.005	.134 ±0.005	15	0.64
580-218	1-1/4	1-1/2	1.234 ±0.012	.134 ±0.005	.134 ±0.005	15	0.62
580-220	1-3/8	1-5/8	1.359 ±0.012	.134 ±0.005	.134 ±0.005	15	0.62
580-221	1-7/16	1-11/16	1.421 ±0.012	.134 ±0.005	.134 ±0.005	15	0.66
580-222	1-1/2	1-3/4	1.484 ±0.015	.134 ±0.005	.134 ±0.005	15	0.66

# STYLE 580, SQUARE BUNA-N O-RINGS

O-RINGS

Part Number	A Nom. ID	B Nom. OD	INSIDE DIAMETER	C HEIGHT	CROSS SECTION	Package Quantity	List Price
580-223	1-5/8	1-7/8	1.609 ±.015	.134 ±.005	.134 ±.005	15	0.66
580-224	1-3/4	2	1.734 ±.015	.134 ±.005	.134 ±.005	15	0.66
580-225	1-7/8	2-1/8	1.859 ±.018	.134 ±.005	.134 ±.005	15	0.66
580-226	2	2-1/4	1.984 ±.018	.134 ±.005	.134 ±.005	15	0.69
580-227	2-1/8	2-3/8	2.109 ±.018	.134 ±.005	.134 ±.005	15	0.69
580-229	2-3/8	2-5/8	2.359 ±.020	.134 ±.005	.134 ±.005	15	0.69
580-230	2-1/2	2-3/4	2.484 ±.020	.134 ±.005	.134 ±.005	15	0.69
580-231	2-5/8	2-7/8	2.609 ±.020	.134 ±.005	.134 ±.005	15	0.69
580-232	2-3/4	3	2.734 ±.024	.134 ±.005	.134 ±.005	15	0.69
580-233	2-7/8	3-1/8	2.859 ±.024	.134 ±.005	.134 ±.005	15	0.69
580-234	3	3-1/4	2.984 ±.024	.134 ±.005	.134 ±.005	14	0.72
580-235	3-1/8	3-3/8	3.109 ±.024	.134 ±.005	.134 ±.005	13	0.79
580-236	3-1/4	3-1/2	3.234 ±.024	.134 ±.005	.134 ±.005	12	0.82
580-237	3-3/8	3-5/8	3.359 ±.024	.134 ±.005	.134 ±.005	12	0.88
580-238	3-1/2	3-3/4	3.484 ±.024	.134 ±.005	.134 ±.005	12	0.88
580-239	3-5/8	3-7/8	3.609 ±.028	.134 ±.005	.134 ±.005	10	0.98
580-240	3-3/4	4	3.734 ±.028	.134 ±.005	.134 ±.005	10	1.00
580-241	3-7/8	4-1/8	3.859 ±.028	.134 ±.005	.134 ±.005	10	1.00
580-242	4	4-1/4	3.984 ±.028	.134 ±.005	.134 ±.005	10	1.00
580-243	4-1/8	4-3/8	4.109 ±.028	.134 ±.005	.134 ±.005	9	1.05
580-244	4-1/4	4-1/2	4.234 ±.030	.134 ±.005	.134 ±.005	9	1.05
580-245	4-3/8	4-5/8	4.359 ±.030	.134 ±.005	.134 ±.005	8	1.25
580-246	4-1/2	4-3/4	4.484 ±.030	.134 ±.005	.134 ±.005	7	1.48
580-247	4-5/8	4-7/8	4.609 ±.030	.134 ±.005	.134 ±.005	6	1.88
580-248	4-3/4	5	4.734 ±.030	.134 ±.005	.134 ±.005	5	1.90
580-249	4-7/8	5-1/8	4.859 ±.035	.134 ±.005	.134 ±.005	5	2.00
580-250	5	5-1/4	4.984 ±.035	.134 ±.005	.134 ±.005	5	2.12
580-251	5-1/8	5-3/8	5.109 ±.035	.134 ±.005	.134 ±.005	5	2.16
580-252	5-1/4	5-1/2	5.234 ±.035	.134 ±.005	.134 ±.005	5	2.35
580-253	5-3/8	5-5/8	5.359 ±.035	.134 ±.005	.134 ±.005	4	2.38
580-254	5-1/2	5-3/4	5.484 ±.035	.134 ±.005	.134 ±.005	4	2.43
580-255	5-5/8	5-7/8	5.609 ±.035	.134 ±.005	.134 ±.005	4	2.48
580-256	5-3/4	6	5.734 ±.035	.134 ±.005	.134 ±.005	4	2.64
580-257	5-7/8	6-1/8	5.859 ±.035	.134 ±.005	.134 ±.005	4	2.72
580-258	6	6-1/4	5.984 ±.035	.134 ±.005	.134 ±.005	4	2.90
580-259	6-1/4	6-1/2	6.234 ±.040	.134 ±.005	.134 ±.005	4	3.13
580-260	6-1/2	6-3/4	6.484 ±.040	.134 ±.005	.134 ±.005	3	3.24
580-261	6-3/4	7	6.734 ±.040	.134 ±.005	.134 ±.005	3	3.24
580-262	7	7-1/4	6.984 ±.040	.134 ±.005	.134 ±.005	3	3.28
580-263	7-1/4	7-1/2	7.234 ±.045	.134 ±.005	.134 ±.005	3	3.47
580-264	7-1/2	7-3/4	7.484 ±.045	.134 ±.005	.134 ±.005	3	3.51
580-265	7-3/4	8	7.734 ±.045	.134 ±.005	.134 ±.005	3	3.62
580-266	8	8-1/4	7.984 ±.045	.134 ±.005	.134 ±.005	3	3.84
580-267	8-1/4	8-1/2	8.234 ±.050	.134 ±.005	.134 ±.005	3	4.05
580-268	8-1/2	8-3/4	8.484 ±.050	.134 ±.005	.134 ±.005	3	4.05
580-269	8-3/4	9	8.734 ±.050	.134 ±.005	.134 ±.005	3	8.90
580-271	9-1/4	9-1/2	9.234 ±.055	.134 ±.005	.134 ±.005	3	19.04
580-274	10	10-1/4	9.984 ±.055	.134 ±.005	.134 ±.005	3	11.25
580-278	12	12-1/4	11.984 ±.065	.134 ±.005	.134 ±.005	1	32.06
<b>3/16" C/S</b>							
580-320	1-1/8	1-1/2	1.100 ±.012	.203 ±.006	.203 ±.006	5	\$0.97
580-322	1-1/4	1-5/8	1.225 ±.012	.203 ±.006	.203 ±.006	5	0.96
580-324	1-3/8	1-3/4	1.350 ±.012	.203 ±.006	.203 ±.006	8	1.12
580-325	1-1/2	1-7/8	1.475 ±.015	.203 ±.006	.203 ±.006	15	1.12
580-326	1-5/8	2	1.600 ±.015	.203 ±.006	.203 ±.006	15	1.12
580-327	1-3/4	2-1/8	1.725 ±.015	.203 ±.006	.203 ±.006	35	0.57
580-328	1-7/8	2-1/4	1.850 ±.015	.203 ±.006	.203 ±.006	15	1.12

# STYLE 580, SQUARE BUNA-N O-RINGS

O-RINGS

Part Number	A Nom. ID	B Nom. OD	INSIDE DIAMETER	C HEIGHT	CROSS SECTION	Package Quantity	List Price
580-329	2	2-3/8	1.975 ±.018	.203 ±.006	.203 ±.006	13	1.12
580-330	2-1/8	2-1/2	2.100 ±.018	.203 ±.006	.203 ±.006	13	1.28
580-331	2-1/4	2-5/8	2.225 ±.018	.203 ±.006	.203 ±.006	13	1.28
580-332	2-3/8	2-3/4	2.350 ±.018	.203 ±.006	.203 ±.006	13	1.28
580-333	2-1/2	2-7/8	2.475 ±.020	.203 ±.006	.203 ±.006	13	1.28
580-334	2-5/8	3	2.600 ±.020	.203 ±.006	.203 ±.006	13	1.48
580-335	2-3/4	3-1/8	2.725 ±.020	.203 ±.006	.203 ±.006	12	1.48
580-336	2-7/8	3-1/4	2.850 ±.020	.203 ±.006	.203 ±.006	11	1.48
580-337	3	3-3/8	2.975 ±.024	.203 ±.006	.203 ±.006	10	1.48
580-338	3-1/8	3-1/2	3.100 ±.024	.203 ±.006	.203 ±.006	10	1.59
580-339	3-1/4	3-5/8	3.225 ±.024	.203 ±.006	.203 ±.006	10	1.59
580-340	3-3/8	3-3/4	3.350 ±.024	.203 ±.006	.203 ±.006	10	1.59
580-341	3-1/2	3-7/8	3.475 ±.024	.203 ±.006	.203 ±.006	9	1.59
580-342	3-5/8	4	3.600 ±.028	.203 ±.006	.203 ±.006	9	1.70
580-343	3-3/4	4-1/8	3.725 ±.028	.203 ±.006	.203 ±.006	8	1.70
580-344	3-7/8	4-1/4	3.850 ±.028	.203 ±.006	.203 ±.006	7	1.70
580-345	4	4-3/8	3.975 ±.028	.203 ±.006	.203 ±.006	7	1.70
580-346	4-1/8	4-1/2	4.100 ±.028	.203 ±.006	.203 ±.006	7	1.88
580-347	4-1/4	4-5/8	4.225 ±.030	.203 ±.006	.203 ±.006	7	2.00
580-348	4-3/8	4-3/4	4.350 ±.030	.203 ±.006	.203 ±.006	7	2.00
580-349	4-1/2	4-7/8	4.475 ±.030	.203 ±.006	.203 ±.006	6	2.00
580-350	4-5/8	5	4.600 ±.030	.203 ±.006	.203 ±.006	6	2.23
580-351	4-3/4	5-1/8	4.725 ±.030	.203 ±.006	.203 ±.006	6	2.23
580-352	4-7/8	5-1/4	4.850 ±.030	.203 ±.006	.203 ±.006	6	2.23
580-353	5	5-3/8	4.975 ±.037	.203 ±.006	.203 ±.006	5	2.66
580-354	5-1/8	5-1/2	5.100 ±.037	.203 ±.006	.203 ±.006	4	2.66
580-355	5-1/4	5-5/8	5.225 ±.037	.203 ±.006	.203 ±.006	4	2.66
580-356	5-3/8	5-3/4	5.350 ±.037	.203 ±.006	.203 ±.006	4	2.66
580-357	5-1/2	5-7/8	5.475 ±.037	.203 ±.006	.203 ±.006	4	2.66
580-358	5-5/8	6	5.600 ±.037	.203 ±.006	.203 ±.006	4	2.66
580-366	7-1/4	7-5/8	7.225 ±.045	.203 ±.006	.203 ±.006	4	6.71
<b>1/4" C/S</b>							
580-414	3-1/8	3-5/8	3.100 ±.024	.266 ±.007	.266 ±.007	2	\$5.99
580-423	4-1/4	4-3/4	4.225 ±.030	.266 ±.007	.266 ±.007	2	5.64
580-425	4-1/2	5	4.475 ±.033	.266 ±.007	.266 ±.007	3	3.19
580-426	4-5/8	5-1/8	4.600 ±.033	.266 ±.007	.266 ±.007	3	3.19
580-427	4-3/4	5-1/4	4.725 ±.033	.266 ±.007	.266 ±.007	3	3.19
580-428	4-7/8	5-3/8	4.850 ±.033	.266 ±.007	.266 ±.007	3	3.19
580-429	5	5-1/2	4.975 ±.037	.266 ±.007	.266 ±.007	3	3.19
580-430	5-1/8	5-5/8	5.100 ±.037	.266 ±.007	.266 ±.007	3	3.19
580-431	5-1/4	5-3/4	5.225 ±.037	.266 ±.007	.266 ±.007	3	3.19
580-433	5-1/2	6	5.475 ±.037	.266 ±.007	.266 ±.007	3	3.24
580-434	5-5/8	6-1/8	5.600 ±.037	.266 ±.007	.266 ±.007	3	3.24
580-435	5-3/4	6-1/4	5.725 ±.037	.266 ±.007	.266 ±.007	3	3.47
580-436	5-7/8	6-3/8	5.850 ±.037	.266 ±.007	.266 ±.007	3	4.24
580-437	6	6-1/2	5.975 ±.037	.266 ±.007	.266 ±.007	3	3.92
580-438	6-1/4	6-3/4	6.225 ±.040	.266 ±.007	.266 ±.007	3	4.06
580-439	6-1/2	7	6.475 ±.040	.266 ±.007	.266 ±.007	3	4.31
580-440	6-3/4	7-1/4	6.725 ±.040	.266 ±.007	.266 ±.007	3	4.60
580-441	7	7-1/2	6.975 ±.040	.266 ±.007	.266 ±.007	2	4.88
580-442	7-1/4	7-3/4	7.225 ±.045	.266 ±.007	.266 ±.007	2	5.00
580-443	7-1/2	8	7.475 ±.045	.266 ±.007	.266 ±.007	2	5.13
580-444	7-3/4	8-1/4	7.725 ±.045	.266 ±.007	.266 ±.007	2	5.23
580-445	8	8-1/2	7.975 ±.045	.266 ±.007	.266 ±.007	2	5.23
580-446	8-1/2	9	8.475 ±.055	.266 ±.007	.266 ±.007	2	5.68
580-447	9	9-1/2	8.975 ±.055	.266 ±.007	.266 ±.007	2	6.30
580-448	9-1/2	10	9.475 ±.055	.266 ±.007	.266 ±.007	2	7.44

# STYLE 580, SQUARE BUNA-N O-RINGS

Part Number	A Nom. ID	B Nom. OD	INSIDE DIAMETER	C HEIGHT	CROSS SECTION	Package Quantity	List Price
580-449	10	10-1/2	9.975 ±.055	.266 ±.007	.266 ±.007	2	18.14
580-450	10-1/2	11	10.475 ±.060	.266 ±.007	.266 ±.007	1	32.81
580-451	11	11-1/2	10.975 ±.060	.266 ±.007	.266 ±.007	1	40.74